

People® 

People® 

2018 2019



หลักเกณฑ์และวิธีปฏิบัติในการซื้อขายสินค้า ของ บริษัท พีเพิล อีแอลอี.แอฟโพลแอนซ์ (ประเทศไทย) จำกัด

ขั้นตอนในการจัดส่งสินค้า

1. การสั่งซื้อสินค้ากับทางบริษัทฯ จะต้องใช้ใบสั่งซื้อของผู้ซื้อ หรือผู้ขายเท่านั้น
2. การสั่งและส่งสินค้า (สั่งสินค้าขั้นต่ำ 3,000 บาท)
 - 2.1 สั่งสินค้าก่อน 10.00 น. บริษัทฯ จะจัดส่งสินค้าภายในวันนั้นๆ
 - 2.2 สั่งสินค้าหลัง 10.00 น. บริษัทฯ จะจัดส่งสินค้าในวันถัดไป
 - 2.3 กรณีลูกค้าต่างจังหวัดที่ต้องการให้ส่งรถตู้ , รถทัวร์ บริษัทฯ ขอทำการจัดส่งในช่วงบ่ายเท่านั้น (กรณีสั่งก่อน 10.00 น. บริษัทฯ ยังคงส่งสินค้าภายในวันเหมือนเดิม แต่ส่งหลัง 10.00 น. บริษัทฯ จะจัดส่งในวันถัดไป)
 - 2.4 ค่าใช้จ่ายในการจัดส่งให้ลูกค้าต่างจังหวัด ลูกค้าเป็นผู้รับผิดชอบค่าใช้จ่าย
 - 2.5 สั่งสินค้ามูลค่าต่ำกว่า 3,000 บาท บริษัทฯ รอจัดส่งร่วมกับรายการอื่นในเส้นทางเดียวกันในวันถัดไป
 - 2.6 ส่งภายใน 30-45 วัน (สำหรับสินค้าสั่งพิเศษ และสินค้าที่หมดสต็อก)
3. การรับสินค้าให้ปฏิบัติดังนี้
 - 3.1 ให้ตรวจรับสินค้าตามรายการให้ครบถ้วนทันที หากไม่ถูกต้อง ขอให้แจ้งทางบริษัทฯ ภายใน 3 วัน ตามที่ระบุในบิลส่งของ
 - 3.2 ให้ลงนามรับสินค้าในใบส่งของให้ครบถ้วน
4. หากไม่ได้รับสินค้าตามที่สั่งซื้อภายในระยะเวลาที่กำหนด ขอให้แจ้งให้ทางบริษัทฯ ทราบโดยทาง โทรศัพท์ แฟกซ์ Line หรืออีเมล โทร.02-1590574-6 แฟกซ์.02-1590577 Line id : people_thailand , peoplethailand_2 E-mail : peoplethailand2480@hotmail.co.th , peoplethailand@126.com
5. การชำระค่าสินค้าจะต้องชำระภายในกำหนดตามข้อตกลงที่ปรากฏในใบแจ้งหนี้ มิฉะนั้นบริษัทฯ จะคิดค่าดอกเบี้ยใน อัตราร้อยละ 12 ต่อปี ค่าบริการทวงถามหนี้และค่าดำเนินการอื่นๆ ในอัตราร้อยละ 4 ต่อปี
6. ให้ชำระค่าสินค้า ด้วยเงินสด หรือเช็คขีดคร่อมส่งภายในนาม "บริษัท พีเพิล อีแอลอี. แอฟโพลแอนซ์(ประเทศไทย) จำกัด" และขีดฆ่า "หรือผู้ถือ" ออกเท่านั้น เว้นแต่จะมีข้อตกลงเป็นหนังสือไว้เป็นอย่างอื่น มิฉะนั้น บริษัทฯ จะไม่รับผิดชอบ หากเกิดความเสียหายอันเนื่องจากการชำระค่าสินค้าต่างไปจากเงื่อนไขดังกล่าว

ส่วนลดพิเศษ



1. ส่วนลดพิเศษสำหรับลูกค้าที่รับ "เป้ายอดซื้อล่วงหน้า 3 เดือน"
2. ส่วนลดพิเศษสำหรับลูกค้าสั่งจองสินค้าล่วงหน้า 4 เดือน
3. ส่วนลดพิเศษตามจำนวน สำหรับสินค้าบางรายการที่ห้ามียอดการซื้อต่อบิลเป็นจำนวนชิ้นที่มาก

ขั้นตอนในการเก็บบัญชี

1. บริษัทฯ ทำการเริ่มนับเครดิต จากเดือนวางบิล และเก็บเช็คต้นเดือนถัดไป
2. กรณี เกิดปัญหา เช็คไม่สามารถผ่านบัญชีได้ บริษัทฯ ขอสงวนสิทธิ์ ะงับการขายเครดิตทันที (ทำการขายเครดิตตามปกติเมื่อการตรวจสอบแล้วเสร็จ)

ขั้นตอนในการ ยืม / เปลี่ยนสินค้า

1. บริษัทฯ กำหนดระยะเวลาในการ คืน / เปลี่ยน สินค้า ไม่เกิน 10 เดือน นับจากวันที่ซื้อ
2. การยืมสินค้า กำหนดได้ไม่เกิน 10 วัน กรณีเกิน บริษัทฯ จะทำการเปิดบิลเงินสด เพื่อไปเก็บค่าสินค้าทันที
3. กรณีเปลี่ยนสินค้า ลูกค้าจะต้องคืนสินค้าภายใน 7 วัน นับจากวันที่ได้รับสินค้าที่นำไปเปลี่ยนแล้ว กรณีเกิน บริษัทฯ จะทำการเปิดบิลตามจำนวนที่เปลี่ยนไป
4. กรณีคืนสินค้า เพื่อทำใบลดหนี้ บริษัทฯ จะเริ่มเข้าสู่ขั้นตอนการทำใบลดหนี้ หลังจากได้รับสินค้าแล้วเท่านั้น (ใบลดหนี้จะถูกส่งเมื่อมีเส้นทางส่งของผ่าน เท่านั้น)



SV Insulated Spade Terminals

หางปลาแจ็กหุ้ม

DESCRIPTION	Stud	d2	B (mm)	L (mm)	F (mm)	H (mm)	Dφ (mm)	PRICE /BAHT	QUANTITY /BOX
SV 1.25-3	(R)	#4	3.2	5.7	21.2	6.5	10.0	0.75.-	2,000pcs
SV 1.25-4	(R)	#8	4.3	6.4				0.75.-	
SV 1.25-5	(R)	#10	5.3	8.1				0.88.-	
SV 1.25-6	(R)	1/4	6.5	9.5				1.00.-	
SV 2-3	(BL)	#4	3.2	5.7	21.2	6.5	10.0	0.90.-	2,000pcs
SV 2-4	(BL)	#8	4.3	6.4				0.95.-	
SV 2-5	(BL)	#10	5.3	8.1				1.10.-	
SV 2-6	(BL)	1/4	6.5	9.5				1.40.-	
SV 2-8	(BL)	5/16	8.5	14.0	29.0	12.5		1.40.-	
SV 3.5-4	(BK) (G)	#8	4.3	8.0	24.8	7.0	12.5	1.80.-	1,000pcs
SV 3.5-5	(BK) (G)	#10	5.3	8.0				1.80.-	
SV 3.5-6	(BK) (G)	1/4	6.5	12.0	28.0	12.1		2.10.-	
SVS 5.5-4	(Y)	#8	4.3	8.3	25.2	7.5	12.5	2.20.-	1,000pcs
SVS 5.5-5	(Y)	#10	5.3	9.0				2.20.-	
SVS 5.5-6	(Y)	1/4	6.5	9.0				2.30.-	
SVS 5.5-8	(Y)	1/4	8.4	14.0	30.0	11.5		2.80.-	800pcs


SNB Non-Insulated Spade Terminals

หางปลาแจ็กเปลือย

DESCRIPTION	Stud	d2	B (mm)	L (mm)	F (mm)	H (mm)	Dφ (mm)	dφ (mm)	PRICE /BAHT	QUANTITY /BOX
SNB 1.25-3.2	#4	3.2	5.7	16.0	6.5	4.8	3.4	1.7	0.75.-	5,000pcs
SNBS 1.25-3.5	#6	3.7	5.7						0.80.-	
SNB 1.25-4	#8	4.3	6.4						0.75.-	
SNB 1.25-5	#10	5.3	8.1						0.82.-	
SNB 2-3	#4	3.2	5.7	16.0	6.5	4.8	4.1	2.3	0.84.-	5,000pcs
SNB 2-4	#8	4.3	6.4						0.84.-	
SNB 2-5	#10	5.3	8.1						1.00.-	
SNB 2-6	1/4	6.5	9.5						1.35.-	
SNB 3.5-4	#8	4.3	8.0	18.3	7.0	6.0	5.0	3.0	1.78.-	3,000pcs
SNB 3.5-5	#10	5.3	8.0						1.78.-	
SNB 3.5-6	1/4	6.5	12.0	21.5	12.1				2.10.-	
SNB 5.5-4	#8	4.3	8.3	19.5	7.5	6.8	5.6	3.4	2.00.-	2,000pcs
SNB 5.5-5	#10	5.3	9.0						2.00.-	
SNB 5.5-6	1/4	6.5	9.0						2.10.-	
SNB 5.5-8	5/16	8.4	14.0	24.5	11.5				2.80.-	800pcs
SNB 8-6	-	6.5	10.8	23.0	-	-	7.2	4.5	6.00.-	1,000pcs
SNB 14-6	-	6.5	12.0	25.5	-	-	9.0	5.8	9.00.-	800pcs
SNB 14-8	-	8.4	13.8	28.5	-	-	9.0	5.8	9.00.-	500pcs

RV Insulated Ring Terminals


หางปลากลมหุ้ม








DESCRIPTION	Stud	d2	B (mm)	L (mm)	F (mm)	H (mm)	Dφ (mm)	PRICE /BAHT	QUANTITY /BOX
RV 1.25-3 (R)	#4	3.2	5.7	17.8	4.95	10.0	4.3	0.75.-	2,000pcs
RV 1.25-4 (R)	#8	4.3	6.6	20.1	9.3			0.75.-	
RV 1.25-5 (R)	#10	5.3	8.0	21.5	7.0			0.86.-	
RV 1.25-6 (R)	1/4	6.4	9.5	23.3	8.0			1.30.-	
RV 1.25-10 (R)	3/8	10.5	13.6	31.6	13.9	10.0	4.9	1.70.-	2,000pcs
RV 2-3 (BL)	#4	3.2	6.6	17.8	4.3			0.90.-	
RV 2-4 (BL)	#8	4.3	6.6	21.0	7.0			0.95.-	
RV 2-5 (BL)	#10	5.3	8.5	22.5	7.75			1.20.-	
RV 2-6 (BL)	1/4	6.5	12.0	27.6	11.0	12.5	6.2	1.40.-	1,500pcs
RV 2-8 (BL)	5/16	8.4	12.0	27.6	11.0			1.60.-	
RV 2-10 (BL)	3/8	10.5	13.6	30.2	13.9			1.90.-	
RV 3.5-4 (BK) (G)	#8	4.3	8.0	24.5	7.7	12.5	6.2	1.80.-	1,000pcs
RV 3.5-5 (BK) (G)	#10	5.3	8.0	24.5				1.80.-	
RV 3.5-6 (BK) (G)	1/4	6.5	12.0	27.9				2.10.-	
RVS 5.5-4 (Y)	#8	4.3	7.2	21.4	5.9	12.5	6.7	2.20.-	1,000pcs
RVS 5.5-5 (Y)	#10	5.3	9.5	25.5	8.3			2.20.-	
RVS 5.5-6 (Y)	1/4	6.5	12.0	31.5	13.0			2.30.-	
RVS 5.5-8 (Y)	5/16	8.4	15.0	33.7	13.7			3.00.-	
RVS 5.5-10 (Y)	3/8	10.5	15.0	33.7	13.7	12.5	6.7	3.30.-	800pcs
RVS 5.5-12 (Y)	1/2	13	19.2	38.1	16.0			5.30.-	

RNB Non-Insulated Ring Terminals

หางปลากลมเปลือย



DESCRIPTION	Stud	d2	B (mm)	L (mm)	F (mm)	H (mm)	Dφ (mm)	dφ (mm)	PRICE /BAHT	QUANTITY /BOX
RNB 1.25-3	#2	3.2	5.7	12.6	4.95	4.8	3.4	1.7	0.75.-	5,000pcs
RNB 1.25-4	#8	4.3	6.6	14.4	6.3				0.75.-	
RNB 1.25-5	#10	5.3	8.0	15.8	7.0				0.82.-	
RNB 2-3	#4	3.2	6.6	12.3	4.3	4.8	4.1	25.3	0.85.-	5,000pcs
RNB 2-4	#8	4.3	6.6	16.0	7.0				0.85.-	
RNB 2-5	#10	5.3	8.5	16.8	7.75				1.20.-	
RNB 2-6	1/4	6.5	12.0	21.8	11.0				1.40.-	
RNB 2-8	5/16	8.4	12.0	21.8	11.0	6.0	5.0	3.0	1.60.-	2,500pcs
RNB 3.5-4	#8	4.3	8.0	18.0	7.7				1.80.-	
RNB 3.5-5	#10	5.3	8.0	18.0	7.7				1.80.-	
RNB 3.5-6	1/4	6.5	12.0	21.4	9.4	6.8	5.6	3.4	2.10.-	3,000pcs
RNB 5.5-4	#8	4.3	7.2	15.7	5.9				2.00.-	
RNB 5.5-5	#10	5.3	9.5	19.8	8.3				2.00.-	
RNB 5.5-6	1/4	6.5	12.0	25.8	13.0				2.20.-	
RNB 5.5-8	5/16	8.4	15.0	28.0	13.7	6.8	5.6	3.4	2.80.-	1,500pcs
RNB 5.5-10	3/8	10.5	15.0	28.0	13.7				3.20.-	
RNB 5.5-12	1/2	13.0	19.2	32.4	16.0				5.20.-	



MPD Insulated Bullet Terminals

หางปลาหัวระเบิดผู้

DESCRIPTION	bφ (mm)	F (mm)	Dφ (mm)	dφ (mm)	H (mm)	L (mm)	PRICE /BAHT	QUANTITY /BOX
MPD 1.25-156 (R)	4.0	11.0	2.7	1.7	10.0	21.0	0.90.-	2,000pcs
MPD 2-156 (BL)	4.0	16.0	3.3	2.3	10.0	21.0	1.20.-	2,000pcs
MPD 2-195 (BL)	5.0						1.20.-	
MPD 5.5-195 (Y)	5.0	11.0	4.5	3.4	14.0	25.0	1.50.-	1,000pcs

FRD Insulated Bullet Sockets

หางปลาหัวระเบิดเมีย

DESCRIPTION		bØ (mm)	F (mm)	dØ (mm)	H (mm)	L (mm)	PRICE /BAHT	QUANTITY /BOX
FRD 1.25-156	(R)	4.0	13.0	1.7	7.3	24.5	1.20.-	1,000pcs
FRD 2-156	(BL)	4.0	14.0	2.3		23.8	1.25.-	1,000pcs
FRD 2-195	(BL)	5.0					1.35.-	
FRD 5.5-195	(Y)	5.0	8.7	3.4		25.5	1.70.-	700pcs

FRFNY,MRFNY Nylon Bullet-Shaped Male And Female Full-Insulation Joint

หางปลาไนลอน หัวระเบิดผู้ - เมีย


DESCRIPTION	bφ (mm)	Bφ (mm)	Dφ (mm)	dφ (mm)	L (mm)	F (mm)	H (mm)	PRICE /BAHT	QUANTITY /BOX
FRFNY 1.25-156 (R)	3.95	6.9	4.3	1.8	26.2	15.0	11.2	2.60.-	800pcs
MPFNY 1.25-156 (R)	4.0	7.4	4.3	1.8	27.7	16.5	11.2	2.60.-	800pcs
FRFNY 2-156 (BL)	3.95	6.9	5.0	2.4	26.2	15.5	11.2	2.60.-	800pcs
MPFNY 2-156 (BL)	4.0	7.4	5.0	2.4	27.7	16.5	11.2	2.60.-	800pcs

FDFNY,MDFNY Nylon Bullet-Shaped Male And Female Full-Insulation Joint

หางปลาไนลอน เสียบแอร์ผู้ - เมีย


DESCRIPTION	NEMA		DIMENSION (mm)					PRICE /BAHT	QUANTITY /BOX
	TAB	W	F	L	B	Dφ	Cφ		
MDFNY 1.25-250 (R)	0.8x6.35	6.35	8.7	25.0	11.0	4.0	1.7	2.60.-	800pcs
MDFNY 2-250 (BL)						4.5	2.3	2.60.-	800pcs
MDFNY 5.5-250 (Y)						5.0	3.4	4.20.-	800pcs

DESCRIPTION	NEMA		DIMENSION (mm)					PRICE /BAHT	QUANTITY /BOX
	TAB	W	F	L	B	Dφ	Cφ		
FDFNY 1.25-250 (R)	0.8x6.35	6.6	8.3	25.0	12.0	4.0	1.7	2.60.-	800pcs
FDFNY 2-250 (BL)						4.5	2.3	2.60.-	800pcs
FDFNY 5.5-250 (Y)						5.0	3.4	4.20.-	800pcs



PTV Insulated Pin Terminals หางปลาเข็มหมุด [ก้านไม้ขีด]

DESCRIPTION		FØ (mm)	L (mm)	H (mm)	DØ (mm)	PRICE /BAHT	QUANTITY /BOX
PTV 1.25-10	(R)	1.9	20.0	10.0	4.3	1.05.-	2,000pcs
PTV 1.25-12	(R)	1.9	22.0			1.12.-	
PTV 2-10	(BL)	1.9	20.0	10.0	4.9	1.20.-	2,000pcs
PTV 2-12	(BL)	1.9	22.0			1.30.-	
PTV 2-13	(BL)	1.9	23.0			1.30.-	
PTV 5.5-13	(Y)	2.8	25.5	12.5	6.7	2.20.-	1,000pcs




PTN Non-Insulated Pin Terminals หางปลาเข็มเปลือย [ก้านไม้ขีด]

DESCRIPTION	FØ (mm)	L (mm)	E (mm)	DØ (mm)	dØ (mm)	PRICE /BAHT	QUANTITY /BOX
PTN 1.25-10	1.9	14.8	4.8	3.4	1.7	1.05.-	5,000pcs
PTN 1.25-12	1.9	16.8				1.12.-	
PTN 2-13	1.9	17.8	4.8	4.1	2.3	1.30.-	5,000pcs
PTN 5.5-13	2.8	19.8	6.0	5.6	3.4	2.20.-	2,000pcs
PTNB 10-12	4.3	22.0	8.0	6.9	4.5	7.90.-	1,500pcs
PTNB 16-13	5.5	26.0	10.0	8.4	5.8	12.70.-	1,000pcs
PTNB 25-15	6.8	33.5	13.5	9.5	7.0	19.00.-	1,000pcs
PTNB 35-20	8.0	40.5	16.0	11.8	8.4	33.00.-	800pcs
PTNB 50-20	9.5	45.0	19.0	13.6	9.6	34.00.-	500pcs


DBV Flat Blade-Insulated Terminals หางปลาเลียบก้านไม้ขีดหุ้ม [แบบแบน]

DESCRIPTION		B (mm)	L (mm)	F (mm)	E (mm)	PRICE /BAHT	QUANTITY /BOX
DBV 1.25-10	(R)	2.3	20.0	10.2	4.3	2.00.-	2,000pcs
DBV 1.25-14	(R)	3.0	24.0	14.5		2.20.-	
DBV 2-10	(BL)	2.8	19.0	9.0	4.9	2.20.-	2,000pcs
DBV 2-14	(BL)	2.4	24.0	14.0		2.40.-	
DBV 5.5-10	(Y)	2.8	22.5	10.0	5.6	2.60.-	1,000pcs
DBV 5.5-14	(Y)	4.5	26.35	14.0		3.20.-	



DBN Flat Blade-Non Insulated terminals หางปลาเลียบก้านไม้ขีดเปลือย [แบบแบน]

DESCRIPTION	B (mm)	F (mm)	L (mm)	E (mm)	DØ (mm)	dØ (mm)	PRICE /BAHT	QUANTITY /BOX
DBN 1.25-10	2.3	10.0	14.8	4.8	3.4	1.7	2.00.-	5,000pcs
DBN 2-9	2.8	9.0	13.8	4.8	4.1	2.3	2.20.-	5,000pcs
DBN 2-10	2.8	10.0	14.8	4.8	4.1	2.3	2.20.-	5,000pcs
DBN 5.5-10	2.8	10.0	16.0	6.0	5.6	3.4	2.60.-	2,000pcs




MDD Insulated Male Disconnectors หางปลาเลียบแอร์ตัวผู้

DESCRIPTION		B (mm)	dØ (mm)	DØ (mm)	H (mm)	L (mm)	PRICE /BAHT	QUANTITY /BOX
MDD 1.25-250	(R)	6.35	1.7	3.8	10.0	20.0	1.10.-	2,000pcs
MDD 1.25-187	(R)	4.75	1.7	3.8		18.5	1.10.-	
MDD 2-250	(BL)	6.35	2.3	4.3		21.0	1.20.-	
MDD 2-187	(BL)	4.75	2.3	4.3		18.5	1.20.-	
MDD 5.5-250	(Y)	6.35	3.4	5.7	14.0	25.0	1.40.-	1,500pcs



FDD Insulated Female Disconnectors หางปลาเลียบแอร์ตัวเมีย

DESCRIPTION		B (mm)	dØ (mm)	DØ (mm)	H (mm)	L (mm)	PRICE /BAHT	QUANTITY /BOX
FDD 1.25-250	(R)	7.4	1.7	3.8	10.0	21.0	1.10.-	2,000pcs
FDD 1.25-187	(R)	5.6	1.7	3.8		19.0	1.10.-	
FDD 2-250	(BL)	7.4	2.3	4.3		21.0	1.20.-	1,500pcs
FDD 2-187	(BL)	5.6	2.3	4.3		19.0	1.20.-	2,000pcs
FDD 5.5-250	(Y)	7.4	3.4	5.7	14.0	25.0	1.40.-	1,000pcs



FDFD Fully Insulated Female Disconnectors หางปลาเลียบแอร์ตัวเมียหุ้มเต็ม


DESCRIPTION		B (mm)	dØ (mm)	DØ (mm)	L (mm)	PRICE /BAHT	QUANTITY /BOX
FDFD 1.25-250	(R)	7.4	1.7	4.0	21.5	1.80.-	1,000pcs
FDFD 2-250	(BL)	7.4	2.3	4.5	21.5	2.00.-	
FDFD 5.5-250	(Y)	7.4	3.4	5.7	25.5	3.00.-	800pcs



PBDD Shoule Shaped Male And Female Pro-Insulating

หางปลาเลียบแอร์ ผู้-เมีย

DESCRIPTION		B (mm)	B1 (mm)	H (mm)	DØ (mm)	dØ (mm)	L (mm)	PRICE /BAHT	QUANTITY /BOX
PBDD 1.25-250	(R)	7.4	3.28	1.7	4.0	21.5	21.5	2.60.-	1,000pcs
PBDD 2-250	(BL)	7.4	5.0	2.3	4.5	21.5	21.5	2.70.-	1,000pcs
PBDD 5.5-250	(Y)	7.4	6.6	3.4	5.7	25.5	25	3.00.-	800pcs



BV Insulated Splice [Sleeves]

ข้อต่อสาย แบบหุ้ม [สลีปสัน]

DESCRIPTION		I (mm)	dØ (mm)	L (mm)	Imax	PRICE /BAHT	QUANTITY /BOX
BV 1.25	(R)	15.0	1.9	26.0	19A	1.46.-	1,000pcs
BV 2	(BL)	15.0	2.3	26.0	27A	1.76.-	1,000pcs
BV5.5	(Y)	15.0	3.4	26.0	48A	2.24.-	700pcs



BN Sleeves

ข้อต่อสาย แบบเปลือย [สลีปสัน]



DESCRIPTION	dØ (mm)	DØ (mm)	L (mm)	PRICE /BAHT	QUANTITY /BOX
BN 1.25	1.9	3.3	15	0.90.-	5,000
BN 2	2.3	4.0	15	1.60.-	4,000
BN 5.5	3.4	5.5	15	2.00.-	2,500
BN 8	4.5	7.1	21	5.00.-	1,000



E Cord - End Sleeves

หางปลา คอร์ดเอ็น [ข้อต่อย้า ปลายสาย CE]

DESCRIPTION		F	L	W	DØ	CØ	PRICE /BAHT	QUANTITY /BOX
E0508	(R) (OR) (G)	8.0	14.0	2.6	1.3	1.0	0.90.-	5,000pcs
E7508	(R) (WH)	8.0	14.3	2.8	1.5	1.2		
E1008	(R) (Y)	8.0	14.3	3.0	1.7	1.4		
E1508	(R) (BK)	8.0	14.3	3.5	2.0	1.7		
E2508	(R) (BL) (BR)	8.0	15.4	4.0	2.6	2.3	1.10.-	4,000pcs
E4009	(R) (GY) (Y)	9.0	16.4	4.5	3.2	2.8	1.50.-	2,000pcs
E4012	(GY)	12.0	19.4		3.9	3.5	2.00.-	1,500pcs
E6012	(BK)	12.0	20.5	6.0	3.9	3.5	3.00.-	1,000pcs
E10-12	(WH)	12.0	22.0	7.5	4.9	4.5	3.20.-	
E10-18	(WH)	18.0	26.0		6.2	5.8	5.00.-	800pcs
E16-12	(G)	12.0	22.0	8.7	6.2	5.8	8.00.-	500pcs
E16-18	(G)	18.0	28.0		7.9	7.5		
E25-16	(BR)	16.0	28.0	11.0	7.9	7.5	8.00.-	400pcs
E25-18	(BR)	18.0	30.0					



TE Insulated Twin Cord End

หางปลา คอร์ดเอ็น แบบสายคู่


DESCRIPTION		F	L	W	B	DØ	CØ	PRICE /BAHT	QUANTITY /BOX
TE0508	(WH) (OR)	8.0	14.5	5.0	6.5	1.8	1.5	1.50.-	4,000pcs
TE7508	(BL) (WH) (GY)	8.0	14.7	5.5	6.7	2.1	1.8	1.50.-	3,000pcs
TE7510	(BL) (WH) (GY)	10.0	16.7					1.50.-	3,000pcs
TE1008	(R) (Y)	8.0	15.1	5.5	7.1	2.3	2.0	1.50.-	2,500pcs
TE1010	(R) (Y)	10.0	17.1					1.50.-	2,500pcs
TE1508	(R) (BK)	8.0	15.5	6.4	7.5	2.6	2.3	1.50.-	2,000pcs
TE1510	(R) (BK)	10.0	17.5					1.50.-	2,000pcs
TE1512	(R) (BK)	12.0	19.5					1.50.-	2,000pcs
TE2510	(BL) (GY)	10.0	18.5	8.0	8.5	3.3	2.9	1.75.-	1,500pcs
TE2512	(BL) (GY)	12.0	20.5					1.85.-	1,500pcs
TE2513	(BL) (GY)	13.0	21.5					1.95.-	1,500pcs
TE4012	(OR) (GY)	12.0	23.1	8.8	11.1	4.2	3.8	2.10.-	1,000pcs
TE6014	(G) (BK) (BL)	14.0	26.1	9.5	12.1	5.3	4.9	3.00.-	800pcs
TE10-14	(BK) (IV) (R)	14.0	26.6	12.6	12.6	6.9	6.5	4.00.-	500pcs
TE16-14	(IV) (G) (BL)	14.0	31.3	19.0	17.3	8.7	8.6	6.00.-	200pcs

TG Non-Insulated Cord End Terminals

DESCRIPTION	Wire Size mm²	DØ	CØ	WØ	L	PRICE /BAHT	QUANTITY /BOX
EN0508	0.5	1.3	1.0	1.7	8.0	0.70.-	10,000pcs
EN7508	0.75	1.5	1.2	1.9	8.0	0.70.-	10,000pcs
EN1008	1.0	1.7	1.4	2.2	8.0	0.70.-	8,000pcs
EN1508	1.5	2.0	1.7	2.5	8.0	0.80.-	7,000pcs
EN2508	2.5	2.6	2.3	3.3	8.0	0.85.-	6,000pcs
EN4009	4	3.2	2.8	3.9	9.0	1.35.-	4,000pcs
EN6012	6	3.9	3.5	4.7	12.0	1.45.-	3,000pcs
EN10-12	10	4.9	4.5	5.8	12.0	2.50.-	2,000pcs
EN16-12	16	6.2	5.8	7.2	12.0	3.00.-	1,500pcs
EN25-16	25	7.9	7.5	9.1	16.0	6.40.-	500pcs
EN35-16	35	8.7	8.3	10.2	16.0	8.00.-	500pcs
EN50-25	50	10.9	10.3	12.7	25.0	10.50.-	200pcs
EN70-25	70	14.3	13.5	15.8	25.0	20.00.-	150pcs
EN90-25	95	15.6	14.8	17.3	25.0	35.00.-	150pcs
EN120-30	120	17.7	16.7	20.2	30.0	45.00.-	100pcs
EN150-32	150	20.6	19.6	23.0	32.0	55.00.-	100pcs

GT COPPER SLEEVES


สลีปยาว ต่อสาย




DESCRIPTION	Wire Size mm ²	d1Ø	d2Ø	L	PRICE /BAHT	QUANTITY /BOX
GT 4	4	3.4	4.8	20	4.00.-	2,000pcs
GT 6	6	5.4	5.5	20	5.00.-	1,800pcs
GT 10	10	5.4	7.0	30	7.00.-	1,000pcs
GT 16	16	6.0	7.8	40	10.00.-	800pcs
GT 25	25	7.0	9.0	45	14.00.-	400pcs
GT 35	35	8.6	10.6	45	18.00.-	300pcs
GT 50	50	10.4	12.4	45	22.00.-	200pcs
GT 70	70	12.0	14.7	50	30.00.-	100pcs
GT 95	95	13.5	17.5	50	50.00.-	90pcs
GT120	120	15.0	19.5	55	80.00.-	80pcs
GT 150	150	17.0	21.0	60	100.00.-	50pcs
GT 185	185	19.0	23.5	65	125.00.-	40pcs
GT 240	240	21.0	26.5	80	160.00.-	30pcs
GT 300	300	24.0	30.0	85	280.00.-	20pcs
GT 400	400	27.0	34.0	90	480.00.-	16pcs

SP SOREW PRESS LINE CAP

วายนัดแบบมีสปริง




DESCRIPTION	AØ	BØ	C	PRICE /BAHT	QUANTITY /BOX
SP 1 (GRAY)	6.7	8.5	15.0	1.00.-	1,500pcs
SP 2 (BLUE)	7.4	10.1	18.0	1.20.-	800pcs
SP 3 (ORANGE)	9.9	12.6	22.1	1.50.-	400pcs
SP 4 (YELLOW)	11.0	13.7	24.5	2.00.-	300pcs
SP 6 (RED)	13.0	16.0	26.5	4.00.-	200pcs
SP 8 (GRAY)	13.5	18.3	32.2	8.00.-	100pcs



Quick Splice Connectors

Material
Insulation: P.P. Terminal Body: Brass Plating: Tin



ITEM NO	WIRE RANGE (mm ²)	W	L	I max	PRICE /BAHT	QUANTITY /BOX
878100 (801P3)	(R) 0.5-1.0	20.0	27.0	10A	2.70.-	200pcs
878101 (802P3)	(BL) 0.75-2.5	20.0	27.0	15A	2.70.-	200pcs
878201 (805P3)	(Y) 4-6	20.5	34.5	24A	4.30.-	100pcs
878006	(R) 0.5-1.0	10.0	38.0	10A	4.30.-	400pcs
878106	(BL) 0.75-2.5	10.0	38.0	15A	4.30.-	400pcs
878206	(Y) 4	10.0	38.0	24A	4.30.-	400pcs

SH Heat Shrink Water Proof


Material
Insulation: PE
Terminal Body: Copper
Plating: Tin



DESCRIPTION	STUD	d2	B (mm)	L (mm)	F (mm)	H (mm)	DØ (mm)	WIRE RANGE (mm ²)	A.W.G.	IMAX	PRICE /BAHT
SH1.25-3.2	(R) #4	3.2	5.7	31.9	-	23.5	4.8	0.5-1.5	22-16	19A	5.00.-
SH1.25-3.5	(R) #6	3.7	5.7	33.1	6.5	23.5	4.8	0.5-1.5	22-16	19A	5.00.-
SH2-3.2	(BL) #4	3.2	5.7	32.5	-	23.8	5.8	1.5-2.5	16-14	27A	5.50.-
SH2-4	(BL) #8	4.3	4.3	32.7	-	23.8	5.8	1.5-2.5	16-14	27A	5.50.-
SH5.5-5	(Y) #10	5.3	9.0	37.9	-	27	6.8	4-6	12-10	48A	7.00.-
SH5.5-6	(Y) 1/4	6.4	9.0	37.4	-	27	6.8	4-6	12-10	48A	7.00.-

BH Heat Shrink Water Proof Butt Connectors

Material
Insulation: PE
Terminal Body: Copper
Plating: Tin



DESCRIPTION	DØ (mm)	L (mm)	A.W.G.	mm ²	LMAX	PRICE /BAHT
BH1.25	(R) 2.4	6	22-16	0.5-1.5	19A	6.00.-
BH2	(BL) 3.0	36	16-14	1.5-2.5	27A	6.50.-
BH5	(Y) 4.3	42	12-10	4-6	48A	8.50.-

MPH Heat Shrink Water Proof Bullet Male Disconnects


Material
Insulation: PE
Terminal Body: Brass
Plating: Tin



DESCRIPTION	bØ (mm)	F (mm)	DØ (mm)	H (mm)	L (mm)	WIRE RANGE (mm ²)	A.W.G.	IMAX	PRICE /BAHT
MPH1.25-156	(R) 4.0	9.5	4.8	23.5	33	0.5-1.5	22-16	10A	5.00.-
MPH2-156	(BL) 4.0	9.2	5.8	23.8	33	1.5-2.5	16-14	15A	6.00.-

FRFNYH Heat Shrink Water Proof Bullet Female Disconnects


Material
Insulation: PE
Terminal Body: Brass
Plating: Tin




DESCRIPTION	bØ (mm)	F (mm)	DØ (mm)	H (mm)	L (mm)	WIRE RANGE (mm ²)	A.W.G.	Imax	PRICE /BAHT
FRFNYH1.25-156	(R) 4.0	6.9	1.7	13.5	40.5	0.5-1.5	22-16	10A	7.50.-
FRFNYH2-156	(BL) 4.0	6.9	2.3	13.5	41	1.5-2.5	16-14	15A	7.50.-

FDFH Heat Shrink Water Proof Male And Female Disconnects

Material
Insulation: PE
Terminal Body: Copper
Plating: Tin




DESCRIPTION	Nema Tab	W (mm)	F (mm)	L (mm)	B (mm)	DØ (mm)	CØ (mm)	A.W.G.	mm ²	LMAX	PRICE /BAHT
FDFH1.25-187	(R) 0.5×4.75 0.8×4.75	5.0	8.3	35.4	25.3	4.8	1.7	22-16	0.5-1.5	10A	6.00.-
FDFH1.25-250	(R) 0.8×6.35	6.6	7.3	22.0	11.0	4.0	1.7	22-16	0.5-1.5	10A	6.00.-
FDFH2-250	(BL) 0.8×6.35	6.6	11	35.2	21.8	5.8	2.3	16-14	1.5-2.5	10A	6.50.-
FDFH5.5-250	(Y) 0.8×6.35	6.6	9.6	38	24.8	6.8	3.4	12-10	4-6	24A	7.00.-



Insulated Flag Female Disconnects (Nylon)

Material
Insulation: Nylon
Terminal Body: Brass
Plating: Tin

Item No	Nema Tab (mm)	Dimension(mm)				Wire range		Imax	Color	PRICE /BAHT	QUANTITY /BOX
		W	F	L	dφ	A.W.G.	mm ²				
FLDNY1.25-187	0.5 x 4.75	5.0	7.0	15.0	1.7	22-16	0.5-1.5	10A	(R)	2.00.-	800pcs
FLDNY1.25-250	0.8 x 6.35	6.6	7.6	16.0	1.7	22-16	0.5-1.5	10A	(R)	2.00.-	800pcs
FLDNY2-187	0.5 x 4.75	5.0	7.0	15.2	2.3	16-14	1.5-2.5	15A	(BL)	2.10.-	800pcs
FLDNY2-250	0.8 x 6.35	6.6	7.6	16.0	2.3	16-14	1.5-2.5	15A	(BL)	2.10.-	800pcs
FLDNY5.5-250	0.8 x 6.35	7.0	7.6	17.5	3.4	12-10	4-6	24A	(Y)	6.50.-	800pcs



Insulated Butt Connectors (Nylon)


Material
Insulation: Nylon
Terminal Body: Copper
Plating: Tin

Item No	Dimension(mm)			Wire range(mm ²)		Imax	Color	PRICE /BAHT
	L	Dφ	dφ	A.W.G.	mm ²			
BNYF 1.25	25.2	3.2	1.7	22-16	0.5-1.5	19A	Red	3.50.-
BNYF 2	25.4	3.8	2.3	16-14	1.5-2.5	27A	Blue	4.00.-
BNYF 5.5	27.7	5.3	3.4	12-10	4-6	48A	Yellow	5.00.-
BNY 1.25	27.9	3.2	1.7	22-16	0.5-1.5	19A	Red	3.50.-
BNY 2	27.8	3.8	2.3	16-14	1.5-2.5	27A	Blue	4.00.-
BNY 5.5	27.7	5.3	3.4	12-10	4-6	48A	Yellow	5.00.-

Fully Insulated Male and Female Disconnects (Nylon N Type)

Material
Insulation: Nylon
Terminal Body: Brass
Plating: Tin

Item No	Nema Tab (mm)	Dimension(mm)						Wire range		Imax	Color	PRICE /BAHT
		W	F	L	B	Dφ	Cφ	A.W.G.	mm ²			
FDFN1.25-110	0.5x2.8	3.2	6.4	19.2	11.0	4.0	1.7	22-16	0.5-1.5	10A	Red	2.60.-
	0.8x2.8											
FDFN1.25-187	0.5x4.75	5.0	6.5	20.2	11.0	4.0	1.7	22-16	0.5-1.5	10A	Red	2.60.-
	0.8x4.75											
FDFN2-187	0.5x4.75	5.0	6.5	20.2	11.0	4.5	2.3	16-14	1.5-2.5	15A	Blue	2.60.-
	0.8x4.75											
FDFN1.25-250	0.8x6.35	6.6	7.3	22.0	11.0	4.0	1.7	22-16	0.5-1.5	10A	Red	2.60.-
	0.8x6.35											
MDFN1.25-250	0.8x6.35	6.35	7.7	24.0	11.0	4.5	2.3	16-14	1.5-2.5	15A	Blue	2.70.-
	0.8x6.35											
FDFN2-250	0.8x6.35	6.6	7.3	22.0	11.0	4.5	2.3	16-14	1.5-2.5	15A	Blue	2.60.-
	0.8x6.35											
MDFN2-250	0.8x6.35	6.35	7.7	24.0	11.0	4.5	2.3	16-14	1.5-2.5	15A	Blue	2.70.-
	0.8x6.35											
FDFN5.5-250	0.8x6.35	6.6	7.3	24.0	13.0	6.3	3.4	12-10	4-6	24A	Yellow	2.80.-
	0.8x6.35											
MDFN5.5-250	0.8x6.35	6.35	7.7	25.0	13.0	6.3	3.4	12-10	4-6	24A	Yellow	3.00.-
	0.8x6.35											



Open Barrel Terminals



Item No	Wire range	Dimension(mm)			Material	PRICE /BAHT	QUANTITY /BOX
		D	W	L			
DJ431-3A	0.5-1.0	3.2	10.0	22.5	Brass		3,000pcs
DJ431-5A	0.5-1.0	5.2	10.0	22.5			2,500pcs
DJ431-6A	0.5-1.0	6.2	12.0	24.0			2,000pcs
DJ431-8B	1.0-1.5	8.2	15.0	26.0			1,500pcs
DJ431-10B	1.0-1.5	10.2	18.0	28.0			1,000pcs




Fig	Item No	Wire range	Dimension(mm)		Material	PRICE /BAHT	QUANTITY /BOX
			W	L			
A	DJ611-2.8x0.5A	0.5-0.8	2.8	21.0	Brass		3,000pcs
B	DJ611-6.3A	0.5-0.8	6.3	25.0			2,000pcs
B	DJ611-6.3B	1.0-1.5	6.3	25.0			2,000pcs
B	DJ612-6.3C	2.0-2.5	6.3	25.0			2,000pcs
C	DJ617-6.3B	1.0-1.5	6.3	19.2			2,000pcs











Fig	Item No	Wire range	Dimension(mm)		Material	PRICE /BAHT	QUANTITY /BOX
			W	L			
A	DJ621-E2.8x0.5A	0.5-0.8	4.0	16.0	Brass		3,000pcs
B	DJ627-4.8A	0.5-0.8	5.7	14.0			2,500pcs
C	DJ622-D4.8B	1.0-1.5	5.7	19.5			2,500pcs
D	DJ621-J6.3A	0.5-0.8	7.5	19.5			2,000pcs
E	DJ622-D6.3B	1.0-1.5	8.0	17.0			2,000pcs



CE Insulated Close-End Disconnectors

หางปลาหัวหมวก



DESCRIPTION		D	L	PRICE /BAHT	QUANTITY /BAG	QUANTITY /BOX
CE 1.25	COLOR CLEAR	2.4	21.0	1.30.-	100pcs	2,000pcs
CE 2		3.0	21.0	1.30.-	100pcs	1,000pcs
CE 5.5		4.0	25.5	3.00.-	100pcs	500pcs
CE 8		4.8	29.8	5.80.-	50pcs	300pcs

PG NYLON CABLE GLAND

เกล็ดเกลนดไนลอน



DESCRIPTION	DIAMETER (mm.)	SCREW LENGTH (mm.)	PRICE /BAHT	QUANTITY /BOX
PG 7 (BK) (WH)	3 - 6.5	8	6.00.-	100pcs
PG 9 (BK) (WH)	4.5 - 7		7.50.-	
PG 11 (BK) (WH)	5.5 - 10		10.50.-	
PG 13.5 (BK) (WH)	6 - 12	9	12.00.-	100pcs
PG 16 (BK) (WH)	10 - 14	10	15.00.-	100pcs
PG 19 (BK) (WH)	10 - 14	10	15.50.-	100pcs
PG 21 (BK) (WH)	14 - 18		18.00.-	
PG 25 (BK) (WH)	16 - 21	11	27.00.-	50pcs
PG 29 (BK) (WH)	18 - 25	12	36.00.-	50pcs
PG 36 (BK) (WH)	25 - 33	14	53.00.-	20pcs
PG 42 (BK) (WH)	30 - 38	14	75.00.-	
PG 48 (BK) (WH)	34 - 44	14	90.00.-	

MG NYLON CABLE GLAND

เกล็ดเกลนดไนลอน

DESCRIPTION	DIAMETER (mm.)	SCREW LENGTH (mm.)	PRICE /BAHT	QUANTITY /BOX
MG 12 (BK) (WH)	4.6-7.6	8	11.00.-	100pcs
MG 16 (BK) (WH)	6-10	15	16.00.-	
MG 20 (BK) (WH)	9-14		24.00.-	
MG 25 (BK) (WH)	13-18		33.00.-	
MG 32 (BK) (WH)	18-25	20	52.00.-	20pcs
MG 40 (BK) (WH)	24-30		72.00.-	
MG 50 (BK) (WH)	30-39		115.00.-	
MG 63 (BK) (WH)	40-48		165.00.-	

PG METALLIC CABLE GLAND

เกล็ดเกลนดโลหะ



DESCRIPTION	DIAMETER (mm.)	SCREW LENGTH (mm.)	QUANTITY /BOX
PG 7	6.5 - 3	7	42.00.-
PG 9	8 - 4	8	52.00.-
PG 11	10 - 5		62.00.-
PG 13.5	12 - 6		72.00.-
PG 16	14 - 10	9	85.00.-
PG 19	14 - 10		115.00.-
PG 21	18 - 13		165.00.-
PG 25	22 - 15	10	195.00.-
PG 29	25 - 18	11	255.00.-
PG 36	33 - 25	12	495.00.-
PG 42	38 - 32	13	695.00.-
PG 48	44 - 37	14	945.00.-


MG METALLIC CABLE GLAND

เกล็ดเกลนดโลหะ

DESCRIPTION	DIAMETER (mm.)	SCREW LENGTH (mm.)	QUANTITY /BOX
G 1/4"	6.5 - 3	7	55.00.-
G 3/8"	8 - 4	8	75.00.-
G 1/2"	12 - 6	8	95.00.-
G 3/4"	18 - 13	9	185.00.-
G 1"	25 - 18	11	315.00.-
G 1-1/2"	38 - 32	14	915.00.-
G 2"	44 - 37	14	1,250.00.-
G 1-1/4"	33 - 25	13	645.00.-

SC Copper Tube Terminals

หางปลาทรูโปร หนา 2 ชั้น



DESCRIPTION	Ø	dØ	DØ	L	PRICE /BAHT	QUANTITY /BOX
SC 4-5	5.2	3.1	4.8	20	3.00.-	2,500pcs
SC 4-6	6.5					
SC 6-5	5.3	3.8	5.5	23.0	3.60.-	2,000pcs
SC 6-6	6.5			25.0		
SC 6-8	8.4			25.0		
SC 10-6	6.5	5.0	7.0	24.5	4.50.-	1,200pcs
SC 10-8	8.4			26.0		
SC 10-10	10.5			29.0		
SC 16-6	6.5	5.8	7.8	31.0	6.00.-	1,000pcs
SC 16-8	8.4			33.5		
SC 16-10	10.5			33.5		
SC 25-6	6.5	7.0	9.0	34.0	8.30.-	600pcs
SC 25-8	8.4			37.0		
SC 25-10	10.5			39.0		
SC 25-12	13.0			39.0		
SC 35-6	6.5	8.2	10.6	38.0	11.50.-	400pcs
SC 35-8	8.4			41.0		
SC 35-10	10.5			41.0		
SC 35-12	13.0	9.7	12.4	43.5	20.00.-	300pcs
SC 50-6	6.5			43.5		
SC 50-8	8.4			43.5		
SC 50-10	10.5			43.5		
SC 50-12	13.0	11.7	14.7	50.0	29.00.-	200pcs
SC 70-8	8.4			50.0		
SC 70-10	10.5			50.0		
SC 70-12	13.0	13.8	17.5	55.0	45.00.-	100pcs
SC 95-8	8.4			55.0		
SC 95-10	10.5			55.0		
SC 95-12	13.0			55.0		
SC 95-14	15.0	13.8	17.5	57.0	45.00.-	100pcs
SC 95-16	17.0			57.0		

DESCRIPTION	Ø	dØ	DØ	L	PRICE /BAHT	QUANTITY /BOX
SC 120-10	10.5	15.5	19.5	60.0	60.00.-	80pcs
SC 120-12	13.0					
SC 120-14	15.0					
SC 120-16	17.0	16.5	21.5	69.0	90.00.-	60pcs
SC 150-10	10.5					
SC 150-12	13.0					
SC 150-14	15.0					
SC 150-16	17.0					
SC 185-10	10.5	18.8	23.5	78.0	116.00.-	40pcs
SC 185-12	13.0					
SC 185-14	15.0					
SC 185-16	17.0					
SC 240-10	10.5	21.0	26.5	92.0	160.00.-	40pcs
SC 240-12	13.0					
SC 240-14	15.0					
SC 240-16	17.0					
SC 240-18	19.0	24.0	30.0	101.0	250.00.-	30pcs
SC 300-12	13.0					
SC 300-14	15.0					
SC 300-16	17.0					
SC 300-18	19.0	27.0	34.0	114.0	385.00.-	24pcs
SC 400-14	15.0					
SC 400-16	17.0					
SC 400-18	19.0					
SC 400-20	21.0	17.0	30	38	123	800.00.-
SC 500-16	17.0					
SC 500-20	20.5					
SC 630-20	20.5	35	45	135		

Terminal Crimping Tools



MG-30J

Tool parameters

CAPACITY	0.5-6.0 mm ²
LENGTH	230 mm
WEIGHT	0.6 kg
PRICE/BAHT	900
QUANTITY/BOX	



MG-03B

Tool parameters

CAPACITY	0.5-6.0 mm ²
LENGTH	230 mm
WEIGHT	0.6 kg
PRICE/BAHT	900
QUANTITY/BOX	



MG-02C

Tool parameters

CAPACITY	0.25-2.5 mm ²
LENGTH	190 mm
WEIGHT	0.4 kg
PRICE/BAHT	1000
QUANTITY/BOX	



MG-07FL

Tool parameters

CAPACITY	0.5-2.5 mm ²
LENGTH	250 mm
WEIGHT	0.55 kg
PRICE/BAHT	900
QUANTITY/BOX	



MG-8-6-4

Square pressure line mode

Tool parameters

CAPACITY	0.25-6.0 mm ²
LENGTH	180 mm
WEIGHT	0.38 kg
PRICE/BAHT	1200
QUANTITY/BOX	



MG-16

Tool parameters

CAPACITY	6-16 mm ²
LENGTH	270 mm
WEIGHT	0.55 kg
PRICE/BAHT	850
QUANTITY/BOX	



MG-10

Tool parameters

CAPACITY	1.5-10.0 mm ²
LENGTH	230 mm
WEIGHT	0.6 kg
PRICE/BAHT	900
QUANTITY/BOX	



MG-06WF

Tool parameters

CAPACITY	0.5-6.0 mm ²
LENGTH	230 mm
WEIGHT	0.6 kg
PRICE/BAHT	900
QUANTITY/BOX	



MG-38

Tool parameters

CAPACITY	5.5-38 mm ²
LENGTH	367 mm
WEIGHT	0.95 kg
PRICE/BAHT	2200
QUANTITY/BOX	



MG-103

Tool parameters

CAPACITY	0.5-6.0 mm ²
LENGTH	230 mm
WEIGHT	0.6 kg
PRICE/BAHT	900
QUANTITY/BOX	



MG-313

Five in one multifunctional crimping pliers
For stripping, cutting wires and crimping Non-Insulated terminals

Tool parameters

CAPACITY	0.5-6.0 mm ²
LENGTH	235 mm
WEIGHT	0.22 kg
PRICE/BAHT	500
QUANTITY/BOX	






MG-240(300)

It is applicable to press connection of cable copper and aluminum terminals.

Tool parameters

PRESSURE	10 ton
TRIP	16 mm
WEIGHT	4.8 kg
MOLD CONFIGURATION	16-300 mm ²
PRICE/BAHT	3000
QUANTITY/BOX	



V Vinly Wire End Cap

ปลอกหุ้มหางปลา

DESCRIPTION	WIRE SUITABLE	D1 mm	D2 mm	D3 mm	L mm	F mm	PRICE /BAHT	QUANTITY /BOX
V 1.25	1.5	2.8	3.3	3.1	13.0	7.0	0.34.-	100pcs
V 2	2.5	3.3	4.5	3.7	15.0	7.0	0.34.-	
V 3.5	4	4.2	5.7	4.1	20.0	8.0	0.40.-	
V 5.5	6	4.8	5.7	5.2	20.0	8.0	0.46.-	
V 8	10	6.2	7.2	6.2	20.0	9.0	0.58.-	
V 14	16	7.5	10.0	8.0	27.0	11.0	0.94.-	
V 22	25	10.5	12.0	9.5	30.0	15.0	1.54.-	
V 38	35	12.5	14.0	11.8	36.0	16.5	1.90.-	
V 60	50	15.0	16.8	13.5	39.0	19.0	2.90.-	
V 80	70	17.0	19.0	16.0	47.0	22.0	3.94.-	
V 100	95	19.0	22.0	18.0	54.0	24.0	5.30.-	100pcs
V 125	120	21.0	24.0	20.0	57.0	25.0	5.70.-	
V 150	150	23.0	24.5	22.0	65.0	30.0	7.70.-	
V 200	185	27.0	32.0	24.0	65.0	30.0	9.50.-	
V 240	240	29.0	38.0	26.5	77.0	39.0	12.00.-	
V 325	300	29.0	38.0	29.0	77.0	40.0	20.00.-	
V 400	400	42.0	45.0	36.0	85.0	41.0	30.00.-	
V 500	500	46.0	48.0	40.0	88.0	42.0	36.00.-	
V 630	630	52.0	54.0	44.0	92.0	47.0	50.00.-	

R	Y	G	BL	WH	BK	BR	GY
---	---	---	----	----	----	----	----

R Type Cable Clamps

Material: Nylon 66 94V-2 agreed by uL
How to use: Put cable in, fix by screw.

ITEM NO	A	R	C	Nail(mm)	PRICE /BAHT	QUANTITY /BOX
1/8R	9.5	9.6	3.2	19.8	1.54.-	1,000pcs
3/16R	9.6	9.6	4.8	19.8	1.68.-	1,000pcs
1/4R	12.0	10.0	6.35	22.0	1.68.-	1,000pcs
5/16R	12.0	10.0	7.9	22.0	1.68.-	1,000pcs
3/8R	12.5	12.0	9.5	24.0	1.82.-	1,000pcs
1/2R	15.2	12.0	12.7	31.0	2.10.-	1,000pcs
5/8R	18.2	12.0	15.8	34.3	2.24.-	1,000pcs
3/4R	18.2	12.0	19.4	35.0	2.65.-	1,000pcs
1R	22.0	12.0W	25.4	43.0	3.22.-	1,000pcs
17/16R	24.0	12.0	27.5	50.0	3.50.-	1,000pcs
5/4R	26.2	12.0	31.8	46.2	3.36.-	1,000pcs
3/2R	30.0	12.0	36.7	50.0	3.92.-	1,000pcs


Expand Nails

Material: PE
Color: White, other colors are available as requested

ITEM NO	L	D	d	PRICE /BAHT	QUANTITY /BOX
MG-6	29.8	5.9	4.9	0.25.-	1,000pcs
MG-8	38.6	7.9	5.3	0.41.-	1,000pcs
MG-10	42.7	9.9	5.8	0.75.-	1,000pcs
MG-12	47.9	11.8	6.3	1.80.-	1,000pcs

SWB Spiral Wrapping Band

ไส้ไก่



DESCRIPTION	D	D1	W	WRAPPING RANGE (mm)	PRICE/BAHT		QUANTITY /BOX
					WHITE	BLACK	
SWB -06	4	6	7.0	4-50	60.-	65.-	100
SWB -08	6	8	10.8	6-60	70.-	80.-	80
SWB -10	7.5	10	11.4	7.5-60	80.-	90.-	50
SWB -12	9	12	13.9	9-65	110.-	120.-	40
SWB -16	12	15	15.0	12-75	120.-	130.-	25
SWB -20	15	19	18.2	15-100	180.-	190.-	17
SWB -24	20	24	19.6	20-130	260.-	270.-	10

*** Remark 1 bag / 1 roll = 10 M.

Cable Ties

สายรัดในลอน



DESCRIPTION	PRICE/BAHT		QUANTITY /CARTON
	WHITE	BLACK	
CABLE TIE 2.5 x 100 4"	0.25.-	0.35.-	50,000
CABLE TIE 3.6 x 150 6"	0.50.-	0.60.-	30,000
CABLE TIE 3.6 x 200 8"	0.65.-	0.80.-	20,000
CABLE TIE 4.8 x 250 10"	1.50.-	1.65.-	12,500
CABLE TIE 4.8 x 300 12"	1.75.-	1.80.-	12,000
CABLE TIE 4.8 x 350 14"	3.00.-	3.20.-	10,000
CABLE TIE 7.5 x 300 12"	3.00.-	3.20.-	6,000
CABLE TIE 7.5 x 350 14"	3.50.-	3.70.-	6,000

*** Remark 1 bag = 100pcs

EC Cable Marker

เคเบิลมาร์คเกอร์



DESCRIPTION	DEA.RANGE mm. MIN.-MAX.	PRICE /BAHT	QUANTITY /BOX
EC - 0 [0-9,A-Z]	0.75 - 3.00	80.00.-	1000pcs
EC - 1 [0-9,A-Z,+,.]	2.60 - 4.20	80.00.-	1000pcs
EC - 2 [0-9,A-Z]	3.60 - 7.40	80.00.-	500pcs
EC - J [0-9,A-Z]	0.50 - 7.00	100.00.-	500pcs


*** Remark For EC-J



Carrier Strips

แถบใส่สายเคเบิลมาร์คเกอร์

DESCRIPTION	CAPACITY	PRICE /BAHT	QUANTITY /BOX
MS - 65	7 Digits	1.25.-	100pcs
MS - 95	12 Digits	2.10.-	100pcs
MS - 133	18 Digits	2.80.-	100pcs



Self-Adhesive Tie Mount

แป้นเกาะ

DESCRIPTION	L x W	H (mm.)	L1 (mm.)	SCREW HOLE (mm.)	PRICE /BAHT	QUANTITY /BOX
CHSP - 20	20x20	6.1	5.0	2.9	3.00.-	100pcs
CHSP - 30	30x30	6.4	6.4	4.5	4.00.-	100pcs

NC Nail Cable Clip

กิ๊ฟติลสาย

DESCRIPTION	D	H	HI	NAIL SIZE	PRICE /BAHT	QUANTITY /BOX
NC-0.4N	4	6.6	4.2	2.5x18	0.40.-	100pcs
NC-1N	6	9	6.6	2.2x22	0.50.-	
NC-2N	8	11.5	8.6	2.2x22	0.60.-	
NC-3N	10	13.4	10.5	2.5x25	0.80.-	
NC-4N	12	16.6	12.5	2.5x27	1.20.-	

Heat-Shrinkable Tubings

ท่อหด

No.	Dia.	PRICE /ROLL
1	1 / 0.5	640.- / 400m.
1.5	1.5 / 0.75	720.- / 400m.
2	2 / 1	420.- / 200m.
2.5	2.5 / 1.25	460.- / 200m.
3	3 / 1.5	520.- / 200m.
3.5	3.5 / 1.75	640.- / 200m.
4	4 / 2	680.- / 200m.
5	5 / 2.5	420.- / 100m.
6	6 / 3	460.- / 100m.
7	7 / 3.5	500.- / 100m.
8	8 / 4	600.- / 100m.
9	9 / 4.5	640.- / 100m.
10	10 / 5	760.- / 100m.
11	11 / 5.5	810.- / 100m.
12	12 / 6	840.- / 100m.

No.	Dia.	PRICE /ROLL
13	13 / 6.5	1,020.- / 100m.
14	14 / 7	1,060.- / 100m.
15	15 / 7.5	1,120.- / 100m.
16	16 / 8	1,460.- / 100m.
17	17 / 8.5	1600.- / 100m.
18	18 / 9	1640.- / 100m.
20	20 / 10	1760.- / 100m.
22	22 / 11	1800.- / 100m.
25	25 / 12.5	920.- / 25m.
28	28 / 14	1,060.- / 25m.
30	30 / 15	1,120.- / 25m.
35	35 / 17.5	1,200.- / 25m.
40	40	1,520.- / 25m.
50	50 / 25	1,840.- / 25m.

R	Y	G	BL	BK
---	---	---	----	----



ENT Toggle Switch

DESCRIPTION	PIN	PRICE /BAHT	QUANTITY /BOX
ENT 1021	[ON-OFF]	2	28.00.-
ENT 1221	[ON-OFF]	4	32.00.-
ENT 1122	[ON-OFF-ON]	3	28.00.-
ENT 1322	[ON-OFF-ON]	6	40.00.-
ENT 1121	[ON-ON]	3	28.00.-

SM Insulating Connector

ลูกถ้วยฉนวนแดง



DESCRIPTION	PRICE /BAHT	INCLUDES NUT	QUANTITY /CARTON
SM 25	20.00.-	26.00.-	500pcs
SM 30	22.00.-	28.00.-	400pcs
SM 35	24.00.-	34.00.-	400pcs
SM 40	28.00.-	38.00.-	300pcs
SM 51	40.00.-	50.00.-	320pcs
SM 76	60.00.-	80.00.-	120pcs


DESCRIPTION	NUT
SM 25 , 30	M6
SM 35 , 40 , 51	M8
SM 76	M10

MLB Bus Bar Support

บาร์ซัพพอร์ท



DESCRIPTION	PRICE /BAHT	QUANTITY /PACK
MLB 100-7/11	220.-	10pcs
MLB 124-11/13.5	250.-	10pcs
MLB 220-7/11	500.-	5pcs
MLB 270-11/13.5	600.-	5pcs
MLB 370-11/13.5	750.-	2pcs



Accessories Busbar Supports

อุปกรณ์เสริม



DESCRIPTION	PRICE /BAHT	QUANTITY /PACK
STUD 8mm.x150mm. +PVC + NUT	100.-	5pcs
STUD 8mm.x200mm. +PVC + NUT	125.-	
STUD 8mm.x250mm. +PVC + NUT	150.-	
STUD 8mm.x300mm. +PVC + NUT	175.-	



Plastic Type



Aluminium Type




Plastic Type




Aluminium Type

FAN 3" (80x80x25mm.)




MODEL	VOLTAGE	DETAILS	SPEED/MIN.	Air Flow (C FM)	BUSHING PRICE	BEARING PRICE
WB802-D1LG	12VDC	Details	3000rpm.	62	90.00.-	-
WB802-D2LG	24VDC	Plastic	3000rpm.	62	100.00.-	-
WB802-A1LG	110VAC		2100rpm.	21/0.59	350.00.-	450.00.-
WB802-A2LG	220VAC	12	2150rpm.	21/0.59	350.00.-	450.00.-

FAN 3 1/2" (92x92x25mm.)




MODEL	VOLTAGE	DETAILS	SPEED/MIN.	Air Flow (C FM)	BUSHING PRICE	BEARING PRICE
WB922-D1LG	12VDC	Plastic	3000rpm.	62	100.00.-	-
WB922-D2LG	24VDC		3000rpm.	62	120.00.-	-
WB922-A1LG	110VAC	Aluminium	2100rpm.	25/0.7	350.00.-	450.00.-
WB922-A2LG	220VAC		2150rpm.	25/0.7	350.00.-	450.00.-

FAN 4" (120x120x38mm.)




MODEL	VOLTAGE	DETAILS	SPEED/MIN.	Air Flow (C FM)	BUSHING PRICE	BEARING PRICE
WB123-D1LG	12VDC	Plastic	3000rpm.	132.5	250.00.-	-
WB123-D2LG	24VDC		3000rpm.	135	250.00.-	-
WB123-A1LG	110VAC	Aluminium	2100rpm.	91/2.7	250.00.-	500.00.-
WB123-A2LG	220VAC		2150rpm.	91/2.7	250.00.-	500.00.-

FAN 6" (150x172x51mm.)




MODEL	VOLTAGE	DETAILS	SPEED/MIN.	Air Flow (C FM)	BUSHING PRICE	BEARING PRICE
WB157-D1LG	12VDC	Aluminium	-	-	700.00.-	-
WB157-D2LG	24VDC		-	-	700.00.-	-
WB157-A1LG	110VAC		2500rpm.	180/5.1	700.00.-	800.00.-
WB157-A2LG	220VAC		2550rpm.	180/5.1	700.00.-	800.00.-

Metal Grating & Filter



MODEL	Details	For Fan Size	Price
ZL-801	ฟิลเตอร์ 3"	80x80	200.00.-
ZL-802	ฟิลเตอร์ 3 1/2"	92x92	220.00.-
ZL-803	ฟิลเตอร์ 4"	120x120	260.00.-
ZL-804	ฟิลเตอร์ 6"	6" ทุกชนิด	400.00.-
G80	ตะแกรง 3"	80x80	20.00.-
G90	ตะแกรง 3 1/2"	92x92	20.00.-
G120	ตะแกรง 4"	120x120	20.00.-
G150	ตะแกรง 6"	6" เหลี่ยม	40.00.-
SA-80	ฟิลเตอร์ 3"	80x80	200.00.-
SA-90	ฟิลเตอร์ 3 1/2"	92x92	220.00.-
SA-120	ฟิลเตอร์ 4"	120x120	260.00.-
SA-172	ฟิลเตอร์ 6"	6" ทุกชนิด	400.00.-

MODEL : 96 X 96




METER VOLT METER, AMP METER

โวลท์มิเตอร์ , แอมป์มิเตอร์

MODEL : 96 X 96	DESCRIPTION	PRICE /BAHT	QUANTITY /BOX
VOLT METER (AC)	300V , 500V , 600V	280.00.-	100pcs
AMP METER (AC) ต่อตรง	10A , 20A , 30A , 40A , 50A , 60A , 100A	270.00.-	100pcs
AMP METER (AC) ต่อผ่านCT	20/5 , 30/5 , 40/5 , 50/5 , 60/5 , 75/5 , 100/5 , 150/5 , 200/5 , 250/5 , 300/5 , 400/5 , 500/5 , 600/5 , 800/5 , 1,000/5 , 1,200/5		
FREQUENCY METER	45-55 Hz. [220/380V]	1,200.00.-	100pcs

MODEL : 80 X 80



MODEL : 80 X 80	DESCRIPTION	PRICE /BAHT	QUANTITY /BOX
VOLT METER (AC)	300V , 500V , 600V	160.00.-	120pcs
AMP METER (AC) ต่อตรง	10A , 20A , 30A , 40A , 50A , 60A	150.00.-	120pcs
AMP METER (AC) ต่อผ่านCT	20/5 , 30/5 , 40/5 , 50/5 , 60/5 , 75/5 , 100/5 , 150/5 , 200/5 , 250/5 , 300/5 , 400/5		

MODEL : 50 X 50



MODEL : 50 X 50	DESCRIPTION	PRICE /BAHT	QUANTITY /BOX
VOLT METER PL-50	300V , 500V	150.00.-	200pcs
AMP METER PL-50	10A , 20A , 30A , 40A , 50A , 60A	140.00.-	200pcs

METER KILOWATT

PRODUCT	PHASE	VOLTAGE	RATED CURRENT (A)	PRICE /BAHT	QUANTITY /BOX
DD283	1P 2W	220V.	5/15A.	600.00.-	12pcs
DD283	1P 2W	220V.	15/45A.	660.00.-	


CT CURRENT TRANSFORMER

PRODUCT	AMP RANGE	PRICE /BAHT	QUANTITY /BOX
MSQ30	30/5A , 50/5A , 60/5A (2.5VA)	180.00.-	60pcs
MSQ40	100/5A , 150/5A (3VA)	200.00.-	60pcs
MSQ40	200/5A , 250/5A , 300/5A , 400/5A (5VA)	200.00.-	
MSQ60	400/5A , 500/5A , 600/5A , 800/5A (10VA)	350.00.-	48pcs
MSQ100	800/5A , 1,000/5A (15VA)	600.00.-	24pcs
MSQ100	1,200/5A , 1,500A (15VA)	600.00.-	
MSQ100	1,600/5A (10VA)	720.00.-	
MSQ100	2,000/5A (10VA)	720.00.-	

MODEL : 96 X 96mm



MODEL : 96 X 96mm
72 X 72mm



MODEL : 96 X 96mm



MODEL : 96 X 96mm



Meter Three phase Volt Meter, Amp Meter, Multi-Function (AC) Meter

MODEL : 96 X 96	DESCRIPTION	PRICE /BAHT	MEASUREMENT	QUANTITY /BOX
VOLT METER (AC)	Auxiliary power supply: AC220V Signal input: AC0-500V	1800.-	PL-3AV33S	60pcs
AMP METER (AC) ต่อตรง	Auxiliary power supply: AC220V Signal input: AC5A	1800.-	PL-AA33S	60pcs
MULTI-FUNCTION (AC) METER	Auxiliary power supply: AC220V or AC/DC85-265V Signal input: AC5A, AC0-500V, 50Hz	6200.-	PL-3HD3SY 3AA,3AV,Hz,Cos,P, Q,Kwh,Kvar(Optional function: THD)	60pcs

Meter Single phase Volt Meter, Amp Meter , Frequency Meter

MODEL : 96 X 96 / 72 X 72	DESCRIPTION	PRICE /BAHT	MEASUREMENT	96 X 96 QUANTITY/BOX	72 X 72 QUANTITY/BOX
VOLT METER (AC)	Auxiliary power supply: AC220V Signal input: AC0-500V	780.-	PL-AV31J PL-AV61J	48pcs	75pcs
AMP METER (AC) ต่อตรง	Auxiliary power supply: AC220V Signal input: AC5A	780.-	PL-AA31J PL-AA61J	48pcs	75pcs
FREQUENCY METER	Auxiliary power supply: AC220V Signal input: 45-65Hz	880.-	PL-F31J PL-F61J	48pcs	75pcs

Meter Single phase Volt Meter, Amp Meter, Frequency Meter

MODEL : 96 X 96	DESCRIPTION	PRICE /BAHT	MEASUREMENT	QUANTITY /BOX
VOLT METER (AC)	Auxiliary power supply: AC220V Signal input: AC0-500V	1100.-	PL-AV31	45pcs
AMP METER (AC) ต่อตรง	Auxiliary power supply: AC220V Signal input: AC5A	1100.-	PL-AA31	45pcs
FREQUENCY METER	Auxiliary power supply: AC220V Signal input: AC5A, AC0-500V, 50Hz	1400.-	PL-F31	45pcs


Meter Three phase Volt Meter, Amp Meter

MODEL : 96 X 96	DESCRIPTION	PRICE /BAHT	MEASUREMENT	QUANTITY /BOX
VOLT METER (AC)	Auxiliary power supply: AC220V Signal input: AC0-500V	1800.-	PL-3AV33	45pcs
AMP METER (AC) ต่อตรง	Auxiliary power supply: AC220V Signal input: AC5A	1800.-	PL-AA33	45pcs



ANALOG COUNTDOWN TIMER


MODEL	PRICE
TB118N	1600.-
QUANTITY	1pcs/box



ANALOG COUNTDOWN TIMER


MODEL	PRICE
SUL180a	800.00.-
QUANTITY	1pcs/box

230-240 V 50-60 Hz
16 (4) 250
24 h
Reserve: 3 d
45 x 17.5 x 60



ANALOG COUNTDOWN TIMER

MODEL	PRICE
TB-388	1600.-
QUANTITY	1pcs/box




HOURLY METER



HOURLY METER


ANALOG COUNTDOWN TIMER

MODEL	PRICE
HM-1	400.00.-
QUANTITY	1pcs/box




ANALOG COUNTDOWN TIMER

MODEL	PRICE
HM-1/2	400.00.-
QUANTITY	1pcs/box






ANALOG COUNTDOWN TIMER

MODEL	PRICE
HM-1/2	400.00.-
QUANTITY	1pcs/box



ANALOG COUNTDOWN TIMER


MODEL	PRICE
GKRC-02FA	1,000.-
GKRC-M2	1,000.-
GKRC-03F	1,000.-
QUANTITY	1pcs/box



DIGITAL TIMER


MODEL	PRICE
KG316T-II	800.-
QUANTITY	1pcs/box

Working volt 220±15% 50Hz
Output Control 25A 220VAC




DIGITAL TIMER

MODEL	PRICE
AH3D-DM	800.-
QUANTITY	1pcs/box



TIMER

MODEL	PRICE
DH48S-S-2Z	1600.-
DH48S-S	1600.-
DH48S-2Z	1600.-
QUANTITY	1pcs/box





CAM Selector Switch "Volt, Amp Meter"

DESCRIPTION	PRICE /BAHT	QUANTITY /BOX
CAM SWITCH "AMP METER" (48x60)	320.00.-	1pcs
CAM SWITCH "VOLT METER" (48x60)	320.00.-	
CAM SWITCH "AMP METER" (60x73)	340.00.-	1pcs
CAM SWITCH "VOLT METER" (60x73)	340.00.-	



ขนาด 65 x 80



ขนาด 48 x 60

CAM Selector Switch "Volt, Amp Meter"

[เหลือง แดง]w

DESCRIPTION	PRICE /BAHT	QUANTITY /BOX
CAM SWITCH "AMP METER" (48x60)	320.00.-	1pcs
CAM SWITCH "VOLT METER" (48x60)		
CAM SWITCH "AMP METER" (65x80)	340.00.-	
CAM SWITCH "VOLT METER" (65x80)		

AS-10 Auto Lighter Switch

สวิตช์แสงแดด

DESCRIPTION	PRICE /BAHT	QUANTITY /BOX	REMARK
CA-03 220V. 3A	220.00.-	10pcs	(1)Standard lighting:31.5-125LUX (Under conditions at rated voltage and surroundings temperature 20°C) (2)Standard unlightin °C Below 5times of lighting (under conditions at rated voltage and surroundings temperature 20°C) (3)Suitable surroundings temperature range:-10°C ~+40°C (4)Sevice life time:more than 2,000times. (Operational condition:rated voltage, surroundings ature 20°C Operational frequency:6 Times/Hour (5)Rated frequency:for both 50Hz/60Hz
CA-06 220V. 6A	240.00.-		
CA-10 220V. 10A	260.00.-		



Analog Countdown Timer

MODEL	VOLTS	PRICE
PL-001	105-305VAC	210.00.-
QUANTITY	-	1pcs/box

FLOAT SWITCH

DESCRIPTION	Rated Current	Wire Length(M)	PRICE /BAHT	QUANTITY /BOX
FLS-A	10A	3M	370.00.-	30pcs
FLS-A	10A	5M	540.00.-	30pcs

Fuel-oil	good	Lactic acid	less than 40% are acceptable
Washing agent	good	Nitric	less than 10% are acceptable
Benzine	good	Hydrochloric acid	less than 10% are acceptable
Formaldehyde	less than 10% are acceptable	Sulfuric acid	less than 30% are acceptable
Acetic acid	less than 10% are acceptable		

FLOAT SWITCH


MODEL	VOLTS	PRICE
FLS-B	220	250.00.-



SB-N 2P Mini Breaker

มินิเบรกเกอร์

DESCRIPTION	PRICE /BAHT	QUANTITY /BOX
SB-N 10A 2P	80.00.-	200pcs
SB-N 16A 2P		
SB-N 20A 2P		
SB-N 32A 2P		



COVER MINI BREAKER	PRICE /BAHT	QUANTITY /BOX
MARK SB-N	25.00.-	150pcs

Relay

รีเลย์

DESCRIPTION	RATE VOLTAGE	PRICE /BAHT	QUANTITY /BOX
MY 2	[8PIN]	12 / 24VDC	10pcs
MY2N-J	[8PIN]	12 / 24 / 220VAC	
MY 4	[14PIN]	12 / 24VDC	
MY4N-J	[14PIN]	12 / 24 / 220VAC	
MK2P-I	[8PIN]	12 / 24VDC	
		12 / 24 / 220VAC	



Relay Socket

ซ็อกเก็ต รีเลย์


DESCRIPTION	PRICE /BAHT	QUANTITY /BOX
SOCKET PYF 08A	[8PIN]	20pcs
SOCKET PYF 14A	[14PIN]	
SOCKET PYF 083A-E	[8PIN]	



Terminal Block

เทอร์มินอล ต่อสาย รุ่นยึดราง (JXB)


STANDARD	VOLTAGE/ CURRENT	CROSS-SECTIONAL AREA	QTY./ BOX	PRICE /BAHT
JXB-2.5/35	800V/24A	2.5mm ²	10	25.00.-
JXB-4/35	800V/32A	4mm ²	10	28.00.-
JXB-6/35	800V/41A	6mm ²	10	35.00.-
JXB-10/35	800V/57A	10mm ²	5	48.00.-
JXB-16/35	800V/76A	16mm ²	5	70.00.-



END-STOPPER	QTY./ BOX	PRICE /BAHT
EW/35	100pcs	15.00.-
END-COVER	QTY./ BOX	PRICE /BAHT
AP2.5	100pcs	7.00.-
AP4	100pcs	7.00.-
AP6	100pcs	8.00.-
AP10	100pcs	9.00.-
AP16	100pcs	12.00.-

Terminal Block

เทอร์มินอล ต่อสาย รันยัดราง (TR)



TYPE	RANGE	DIMENSIONS (mm)				QTY./BOX	PRICE /BAHT
		A	B	C	D		
TR-10	2mm 20A.	32	28.8	9.6	8	120	11.00.-
TR-20	3.5mm 30A.	36.3	30.5	11.3	9.2	120	14.00.-
TR-30	8mm 50A.	45.5	34.5	15	12.5	60	21.00.-
TR-60	22mm 90A.	52.8	37	19.8	16.8	10	33.00.-
TR-100	38mm 130A.	70.8	44.8	27	23.8	6	69.00.-
TR-200	100mm 240A.	82.8	57	39.7	31	3	157.00.-

End Plate

STANDARD	APPLICATION UNITS	THICK STEEL (mm)	QUANTITY /BOX	PRICE /BAHT
TRA1	TR 10	3.3	10	6.00.-
TRA2	TR 20	3.3	10	6.50.-
TRA3	TR 30	3.3	10	7.00.-
TRA6	TR 60	3.3	5	10.00.-
TRA10	TR 100	3.6	5	15.00.-


STOPPER RELAY(A,B,C,EW/35) ตัวละ

STOPPER TERMINAL(D,E) ตัวละ 10.-

ราง RELAY เส้นละ 90.-

ราง TERMINAL (C) เส้นละ 90.-

A,20.00.-
B,25.00.-
C,15.00.-
EW,15.00.-



TB Terminal Block

เทอร์มินอลต่อสาย

DESCRIPTION	PEOPLE	QUANTITY /BOX
TERMINAL 3 CH TB1503 15A.	20.00.-	100pcs
TERMINAL 4 CH TB1504 15A.	25.00.-	100pcs
TERMINAL 6 CH TB1506 15A.	30.00.-	100pcs
TERMINAL 10 CH TB1510 15A.	40.00.-	50pcs
TERMINAL 12 CH TB1512 15A.	58.00.-	50pcs
TERMINAL 3 CH TB2503 25A.	30.00.-	50pcs
TERMINAL 4 CH TB2504 25A.	40.00.-	50pcs
TERMINAL 6 CH TB2506 25A.	50.00.-	50pcs
TERMINAL 10 CH TB2510 25A.	60.00.-	25pcs
TERMINAL 12 CH TB2512 25A.	85.00.-	25pcs

PE,PA Terminal Block 12 Ch



เต้าต่อสายไฉลอน



DESCRIPTION	WIRE RANGE	PRICE /BAHT	QUANTITY /BOX
PE3 3A.	2.5-4.0 mm ²	20.00.-	1,000pcs
PE6 6A.	4.0-6.0 mm ²	23.00.-	1,000pcs
PE10 10A.	6.0-10.0 mm ²	30.00.-	500pcs
PE16 16A.	10-12 mm ²	45.00.-	500pcs
PE20 20A.	12-14 mm ²	60.00.-	500pcs
PE30 30A.	16 mm ²	75.00.-	500pcs
PA3 3A.	2.5-4.0 mm ²	25.00.-	1,000pcs
PA6 6A.	4.0-6.0 mm ²	30.00.-	1,000pcs
PA10 10A.	6.0-10.0 mm ²	35.00.-	500pcs
PA16 16A.	10-12 mm ²	50.00.-	500pcs
PA20 20A.	12-14 mm ²	70.00.-	500pcs
PA30 30A.	16 mm ²	80.00.-	500pcs

G Grounding Bus-Bar

เทอร์มินอลกราวด์



DESCRIPTION	PEOPLE	QUANTITY /BOX
G-9604	50.00.-	10pcs
G-9606	60.00.-	10pcs
G-9608	76.00.-	10pcs
G-9610	85.00.-	10pcs
G-9612	92.00.-	10pcs
G-12804	72.00.-	10pcs
G-12806	92.00.-	10pcs
G-12808	104.00.-	10pcs
G-12810	128.00.-	10pcs
G-12812	144.00.-	10pcs
GK-043 8x12/m	800.00.-	50pcs

ขาตู้ละ 13.00.-

Name Plate

เนมเพลท 22,25 mm



DESCRIPTION						PRICE/BAHT		QUANTITY
ON	OFF	ON-OFF	AUTO-MANUAL	AUTO-OFF-MANUAL	OVERLOAD	WH	BK	
RUN	STOP	START	START-STOP	REVERSE	FORWARD	10.-	6.-	100pcs
แบบพิเศษ						20.00.-		



AD22-22DS Pilot Lamp [LED] แลมป์ LED 22 mm.

DESCRIPTION				RATE VOLTAGE	PRICE /BAHT	QUANTITY /BOX
22mm. "TIGER"	(Y)	(G)	(R)	12/24/220/380	30.00.-	10pcs
22mm. "TIGER"	(BL)	(WH)		12/24/220/380	40.00.-	10pcs
22mm. "PEOPLE"	(Y)	(G)	(R)	12/24/220/380	35.00.-	10pcs
22mm. "PEOPLE"	(BL)	(WH)		12/24/220/380	45.00.-	10pcs



LAMP หม้อแปลง 25mm 220V/380V

DESCRIPTION						PRICE /BAHT	QUANTITY /BOX
CA2522	(Y)	(G)	(R)	(BL)	(WH)	80.00.-	10pcs

Push Buttons Switch



DESCRIPTION				PRICE /BAHT	QUANTITY /BOX
PL2211 X/2	[สวิทช์ลูกศร 22 mm.]			75.00.-	10pcs
PL2220 X/3	[สวิทช์ลูกศร 22 mm.]			75.00.-	10pcs
PL2211 22mm.	[สวิทช์กด 3 สี]	(Y)	(G) (R)	60.00.-	10pcs
PB2511 X/2 , /3	[สวิทช์ลูกศร 25 mm.]			60.00.-	10pcs
PB3011 X/2 , /3	[สวิทช์ลูกศร 30 mm.]			70.00.-	
PB2511 25mm.	[สวิทช์กด 3 สี]	(Y)	(G) (R)	60.00.-	10pcs
PB3011 30mm.	[สวิทช์กด 3 สี]	(Y)	(G) (R)	70.00.-	
PB2511 MZ	[สวิทช์หัวเห็ดกดล็อก]	(G)	(R)	100.00.-	10pcs
PB2511 MB	[สวิทช์หัวเห็ดกดไม่ล็อก]	(G)	(R)		
XB 7 ED 21	[X/2] [สวิทช์ลูกศร 22 mm.]			70.00.-	10pcs
XB 7 ED 33	[X/3] [สวิทช์ลูกศร 22 mm.]			90.00.-	
XB 7 EA 31	[สวิทช์กด 22 mm.]	(G)		60.00.-	10pcs
XB 7 EA 42	[สวิทช์กด 22 mm.]	(R)			



Flush button
IP40/IP65



Flush button
IP40/IP65





Mushroom button
IP40/IP65



Mushroom button
IP40/IP65



LA115-A5-11/G

Description	Contact	Type	Color
Momentary 自复型	1NO	LA115-A5-10	● Rad ● Green ● Yellow ● Blue ○ Witer ● Black
	1NC	LA115-A5-01	
	1NO+1NC	LA115-A5-11	
	2NO	LA115-A5-20	
Maintained 自锁型	2NC	LA115-A5-02	
	1NO	LA115-A5-10T	
	1NC	LA115-A5-01T	
	1NO+1NC	LA115-A5-11T	
	2NO	LA115-A5-20T	
	2NC	LA115-A5-02T	





LA115-A5-11D/R31

Description	Contact	Type	Color
Momentary Illuminated 带灯自复型	1NO LB	LA115-A5-10D	● Rad ● Green ● Yellow ● Blue ○ Witer ● Black
	LB 1NC	LA115-A5-01D	
	1NO LB 1NC	LA115-A5-11D	
	2NO LB	LA115-A5-20D	
Maintained Illuminated 带灯自锁型	LB 2NC	LA115-A5-02D	
	1NO LB	LA115-A5-10TD	
	LB 1NC	LA115-A5-01TD	
	1NO LB 1NC	LA115-A5-11TD	
	2NO LB	LA115-A5-20TD	
	LB 2NC	LA115-A5-02TD	





LA115-A5-11M/G

Description	Contact	Type	Color
Momentary 自复型	1NO	LA115-A5-10M	● Rad ● Green ● Yellow ● Blue ○ Witer ● Black
	1NC	LA115-A5-01M	
	1NO+1NC	LA115-A5-11M	
	2NO	LA115-A5-20M	
Maintained 自锁型	2NC	LA115-A5-02M	
	1NC	LA115-A5-01MT	
	1NO	LA115-A5-10MT	
	1NO+1NC	LA115-A5-11MT	
	2NO	LA115-A5-20MT	
	2NC	LA115-A5-02MT	



LA115-A5-11MD/R31

Description	Contact	Type	Color
Momentary Illuminated 带灯自复型	1NO LB	LA115-A5-10MD	● Rad ● Green ● Yellow ● Blue ○ Witer ● Black
	LB 1NC	LA115-A5-01MD	
	1NO LB 1NC	LA115-A5-11MD	
	2NO LB	LA115-A5-20MD	
Maintained Illuminated 带灯自锁型	LB 2NC	LA115-A5-02MD	
	LB 1NC	LA115-A5-01MTD	
	1NO LB	LA115-A5-10MTD	
	1NO LB 1NC	LA115-A5-11MTD	
	2NO LB	LA115-A5-20MTD	
	LB 2NC	LA115-A5-02MTD	






Selector switch
Short handle
IP40/IP65

LA115-A5-11X


Description	Contact	Type	Color
 Maintained 自锁	1NO	LA115-A5-10X	● Rad ● Green ● Yellow ● Blue ○ Witer ● Black
	1NC	LA115-A5-01X	
	1NO+1NC	LA115-A5-11X	
	2NO	LA115-A5-20X	
 Momentary From R to L 由右至左自复	1NO	LA115-A5-10X/FU	
	1NC	LA115-A5-01X/FU	
	1NO+1NC	LA115-A5-11X/FU	
	2NO	LA115-A5-20X/FU	
	2NC	LA115-A5-02X/FU	



Selector switch
Short handle
IP40/IP65

LA115-A5-11XD/R31


Description	Contact	Type	Color
 Momentary Illuminated 带灯自锁	1NO LB	LA115-A5-10XD	● Rad ● Green ● Yellow ● Blue ○ Witer ● Black
	LB 1NC	LA115-A5-01XD	
	1NO LB 1NC	LA115-A5-11XD	
	2NO LB	LA115-A5-20XD	
 Maintained Illuminated From R to L 带灯由右至左自复	LB 2NC	LA115-A5-02XD	
	1NO LB	LA115-A5-10XD/FU	
	LB 1NC	LA115-A5-01XD/FU	
	1NO LB 1NC	LA115-A5-11XD/FU	
	2NO LB	LA115-A5-20XD/FU	
	LB 2NC	LA115-A5-02XD/FU	



Selector switch
Short handle
IP40/IP65

LA115-A5-11XS


Description	Contact	Type	Color
 Maintained 自锁	1NO+1NC	LA115-A5-11XS	
	2NO	LA115-A5-20XS	
	2NC	LA115-A5-02XS	
 Momentary From R to C From L to C 由右至中和由左至中自复	1NO+1NC	LA115-A5-11XS/FFU	
	2NO	LA115-A5-20XS/FFU	
 Momentary From L to C 由左至中自复	2NC	LA115-A5-02XS/FFU	
 Momentary From L to C 由左至中自复	1NO+1NC	LA115-A5-11XS/F	● Rad ● Green ● Yellow ● Blue ○ Witer ● Black
	2NO	LA115-A5-20XS/F	
 Momentary From R to C 由右至中自复	2NC	LA115-A5-02XS/F	
 Momentary From R to C 由右至中自复	1NO+1NC	LA115-A5-11XS/FU	
	2NO	LA115-A5-20XS/FU	
	2NC	LA115-A5-02XS/FU	



φ22-φ30
Emergency stop
pushbutton
IP40/IP65

LA115-A5-03ZT


Description	Contact	Type	Color
Twist Release Pull Release Non-illuminated 旋转或拉拔释放 不带灯型	1NC	LA115-A5-01ZT	● Rad
	1NO+1NC	LA115-A5-11ZT	
	1NO+2NC	LA115-A5-12ZT	
	2NO+1NC	LA115-A5-21ZT	
	2NC	LA115-A5-02ZT	
	3NC	LA115-A5-03ZT	



φ22-φ30
Emergency stop
pushbutton
IP40/IP65

LA115-A5-03ZF


Description	Contact	Type	Color
Twist Release Pull Release Illuminated 旋转或拉拔释放 带灯型	1NC	LA115-A5-01ZF	● Rad
	1NO+1NC	LA115-A5-11ZF	
	1NO+2NC	LA115-A5-12ZF	
	2NO+1NC	LA115-A5-21ZF	
	2NC	LA115-A5-02ZF	
	3NC	LA115-A5-03ZF	



Emergency stop
pushbutton
IP40/IP65

LA115-A5-03ZS


Description	Contact	Type	Color
Twist Release Non-illuminated 旋转释放 不带灯型	1NC	LA115-A5-01ZS	● Rad
	1NO+1NC	LA115-A5-11ZS	
	1NO+2NC	LA115-A5-12ZS	
	2NO+1NC	LA115-A5-21ZS	
	2NC	LA115-A5-02ZS	
	3NC	LA115-A5-03ZS	




Flush button
IP40/IP65

LA115-A5-11RD/W31

Description	Contact	Type	Color
Momentary Non-illuminated 不带灯自复型	1NO+1NC	LA115-A5-11R	
	1NO+1NC	LA115-A5-11R1	
	1NO+1NC	LA115-A5-11R2	
	1NO+1NC	LA115-A5-11R3	
	1NO+1NC	LA115-A5-11R4	
	1NO+1NC	LA115-A5-11R5	
	1NO+1NC	LA115-A5-11R6	
	1NO+1NC	LA115-A5-11R7	



Fuse Link For Fuse Cutout



DESCRIPTION	Amp	Dimension (mm)					PRICE /BAHT		QUANTITY /BOX
		A	B	C	D	F	Rated voltage 22kV	Rated voltage 35kV	
FUL-3	3A	12.5	19	600	2.0	8.0	83.-	118.-	500pcs
FUL-6	6A						83.-	118.-	500pcs
FUL-8	8A						83.-	118.-	500pcs
FUL-10	10A						83.-	118.-	500pcs
FUL-15	15A				3.0	8.0	85.-	147.-	500pcs
FUL-20	20A						85.-	147.-	500pcs
FUL-25	25A						98.-	230.-	500pcs
FUL-30	30A						100.-	230.-	500pcs
FUL-40	40A	19.0	-	600	3.0	8.0	125.-	230.-	500pcs
FUL-50	50A						130.-	230.-	500pcs
FUL-63	63A						210.-	388.-	500pcs
FUL-65	65A						210.-	388.-	250pcs
FUL-80	80A				4.0	10.0	220.-	388.-	250pcs
FUL-100	100A						220.-	388.-	250pcs
FUL-150	150A						380.-	580.-	250pcs
FUL-200	200A						400.-	680.-	250pcs

COB Push Buttons Switch



DESCRIPTION	PEOPLE	TIGER	QUANTITY /BOX
COB 61	200.-	100.00.-	1pcs
COB 62	300.-	150.00.-	1pcs
COB 63	500.-	200.00.-	1pcs

Power Push Buttons Switch



DESCRIPTION	PEOPLE	TIGER	QUANTITY /BOX
PB - 2 สวิตช์กด [ON - OFF]	150.00.-	80.00.-	1pcs
PB - 3 สวิตช์กด [FORWARD-REVERSE-STOP]	180.00.-	100.00.-	
TPB - 2 สวิตช์กด [UP - DOWN]	150.00.-	80.00.-	1pcs
TPB - 3 สวิตช์กด [FORWARD-REVERSE-STOP]	180.00.-	100.00.-	
BS 211 สวิตช์กดรวม กว้างเหล็ก 10A.	140.00.-	78.00.-	1pcs
BS 216 สวิตช์กดรวม กว้างเหล็ก 15A.	160.00.-	88.00.-	
BS 230 สวิตช์กดรวม กว้างเหล็ก 30A.	200.00.-	120.00.-	
NS 216 สวิตช์กดรวม แบบฝังตู้ 16A.	180.00.-	100.00.-	1pcs
NS 230 สวิตช์กดรวม แบบฝังตู้ 30A.	200.00.-	110.00.-	

Foot Switch

สวิตช์เท้าเหยียบ




DESCRIPTION	PRICE /BAHT	QUANTITY /BOX
FS-3S	550.00.-	1pcs
FS-201	200.00.-	
YDT1-16	1,100.00.-	
YDT-120	1,000.00.-	
LT 3	980.00.-	
LT 4	1,050.00.-	

Rocker Switches

MODEL: KCD1-103-2 ON-OFF-ON


PRIEC: 15.00.-



QUANTITY: 100pcs/box

MODEL: KCD2-201N-2 ON-OFF


PRIEC: 39.00.-



QUANTITY: 100pcs/box

MODEL: KCD2-202N-2 ON-ON


PRIEC: 39.00.-



QUANTITY: 100pcs/box

MODEL: KCD2-2101N-2 ON-OFF


PRIEC: 40.00.-



QUANTITY: 100pcs/box

MODEL: KCD3-101EN ON-OFF


PRIEC: 27.00.-



QUANTITY: 100pcs/box

MODEL: WPC-04 Waterproof Cover

PRIEC: 49.00.-



QUANTITY: 100pcs/box

MODEL: KCD2-2101EN ON-OFF

PRIEC: 65.00.-



QUANTITY: 100pcs/box

MODEL: KCD1-101-5 ON-OFF

PRIEC: 20.00.-



QUANTITY: 100pcs/box

MODEL: KCD1-102-5 ON-OFF

PRIEC: 25.00.-



QUANTITY: 100pcs/box

MODEL: KCD1-103-5 ON-OFF-ON

PRIEC: 25.00.-



QUANTITY: 100pcs/box

MODEL: KCD1-101-9 ON-OFF

PRIEC: 23.00.-



QUANTITY: 100pcs/box

MODEL: KCD1-101N-9 ON-OFF

PRIEC: 29.00.-



QUANTITY: 100pcs/box

Micro Switches

MODEL: Z-15GD-B PRIEC: 160.-	MODEL: Z-15GQ22-B PRIEC: 250.-	MODEL: Z-15GW22-B PRIEC: 200.-	MODEL: Z-15GW2-B PRIEC: 200.-	MODEL: Z-15GQ-B PRIEC: 200.-
MODEL: Z-15GW21-B PRIEC: 190.-	MODEL: Z-15GW-B PRIEC: 160.-	MODEL: Z-15GQ21-B PRIEC: 250.-	MODEL: AZ-7100 PRIEC: 430.-	MODEL: AZ-7110 PRIEC: 430.-
MODEL: AZ-7120 PRIEC: 390.-	MODEL: AZ-7121 PRIEC: 390.-	MODEL: AZ-7124 PRIEC: 420.-	MODEL: AZ-7140 PRIEC: 390.-	MODEL: AZ-7141 PRIEC: 390.-
MODEL: AZ-7144 PRIEC: 430.-	MODEL: AZ-7166 PRIEC: 550.-	MODEL: AZ-7310 PRIEC: 470.-	MODEL: AZ-7311 PRIEC: 520.-	MODEL: AZ-7312 PRIEC: 520.-

Micro Switches

KW1-103 Series Specification

- (1.) Rating : 10A 125/250VAC
- (2.) Contact Resistance: 30m Ω max
- (3.) Insulation Resistance: 500VDC 100M Ω min
- (4.) Dielectric strength: 1500VAC, 1Minute
- (5.) Ambient Temperature: -25°C ~ +80°C
- (6.) Electrical Life: 100,000 Cycles

MODEL: KW1-103-1 (V-16-1C25) PRIEC: 40.00.-	MODEL: KW1-103-2A (V-161-1C25) PRIEC: 40.00.-	MODEL: KW1-103-3 (V-162-1C25) PRIEC: 40.00.-	MODEL: KW1-103-4 (V-163-1C25) PRIEC: 40.00.-	MODEL: KW1-103-5 (V-164-1C25) PRIEC: 40.00.-	MODEL: KW1-103-6 (V-165S-1C25) PRIEC: 40.00.-	MODEL: KW1-103-7 (V-166S-1C25) PRIEC: 40.00.-
---	---	--	--	--	---	---

Plugs Industrial Plug

ปลั๊กตัวผู้ลอย

CODE / CURRENT(A)	POLES / VOLTAGE (V)	PRICE /BAHT
013 16A	2P + ⊕	140.-
023 32A	220 - 240VAC	200.-
014 16A	3P + ⊕	160.-
024 32A	380 - 415VAC	220.-
015 16A	3P+N+⊕	200.-
025 32A	380 - 415VAC	250.-

Plugs Industrial Plug

ปลั๊กตัวผู้ติดผนัง

CODE / CURRENT(A)	POLES / VOLTAGE (V)	PRICE /BAHT	QUANTITY /BOX
513 16A	2P + ⊕	160.-	120pcs
523 32A	220 - 240VAC	200.-	
514 16A	3P + ⊕	180.-	120pcs
524 32A	380 - 415VAC	220.-	
515 16A	3P+N+⊕	200.-	60pcs
525 32A	380 - 415VAC	250.-	

Socket Industrial Socket

ปลั๊กตัวเมียติดผนัง

CODE / CURRENT(A)	POLES / VOLTAGE (V)	PRICE /BAHT
113 16A	2P + ⊕	240.-
123 32A	220 - 240VAC	260.-
114 16A	3P + ⊕	270.-
124 32A	380 - 415VAC	300.-
115 16A	3P+N+⊕	300.-
125 32A	380 - 415VAC	350.-

Socket Hide Inclined Socket


ปลั๊กตัวเมียฝัง

CODE / CURRENT(A)	POLES / VOLTAGE (V)	PRICE /BAHT	QUANTITY /BOX
413 16A	2P + ⊕	240.-	60pcs
423 32A	220 - 240VAC	260.-	
414 16A	3P + ⊕	270.-	60pcs
424 32A	380 - 415VAC	300.-	
415 16A	3P+N+⊕	300.-	60pcs
425 32A	380 - 415VAC	350.-	

Socket Industrial Socket

ปลั๊กตัวเมียลอย

CODE / CURRENT(A)	POLES / VOLTAGE (V)	PRICE /BAHT	QUANTITY /BOX
213 16A.	2P + ⊕	180.-	120pcs
223 32A.	220 - 240VAC	250.-	
214 16A.	3P + ⊕	210.-	60pcs
224 32A.	380 - 415VAC	280.-	
215 16A.	3P+N+⊕	240.-	60pcs
225 32A.	380 - 415VAC	310.-	



LTE Warning Light

ไฟหมุน / ไฟไซเรน

MODEL					PRICE /BAHT	QUANTITY /CARTON.
LTE 1105 [12,24VDC , 220VAC] 5"	(R)	(Y)	(G)	(BL)	500.-	30pcs
LTE 8101 [12,24VDC , 220VAC] 5"	(R)	(Y)	(G)	(BL)	550.-	20pcs
LTE 1104 [12,24VDC , 220VAC] 4"	(R)	(Y)	(G)	(BL)	400.-	30pcs
LTE 5104(LED) [12,24VDC , 220VAC] 4"	(R)	(Y)	(G)	(BL)		
LTE 1121 [12,24VDC , 220VAC] 5"	(R)	(Y)	(G)	(BL)	500.-	20pcs
LTE 5121 (LED) [12,24VDC , 220VAC] 5"	(R)	(Y)	(G)	(BL)		
LTE 1161 [12,24VDC , 220VAC] 6"	(R)	(Y)	(G)	(BL)	800.-	8pcs
LTE 5161 (LED) [12,24VDC , 220VAC] 6"	(R)	(Y)	(G)	(BL)		
LTE 1181(LED) [12,24VDC , 220VAC] 7"	(R)	(Y)	(G)	(BL)	1,200.-	8pcs
LTE 5181(LED) [12,24VDC , 220VAC] 7"	(R)	(Y)	(G)	(BL)		

LTA Tower Light

ไฟสัญญาณ

LTA 205-1 [24VDC / 220VAC]	(R)	LTA 205-2 [24VDC / 220VAC]	(R)	(G)	LTA 205-3 [24VDC / 220VAC]	(R)	(Y)	(G)
								
PRICE 660.- THB. 20pcs/Carton		PRICE 740.- THB. 20pcs/Carton			PRICE 840.- THB. 20pcs/Carton			



BELL

กระดิ่งแดง

DESCRIPTION	PRICE /BAHT	QUANTITY /BOX
BELL 3" 220VAC	200.-	1pcs
BELL 4" 220VAC	300.-	1pcs
BELL 6" 220VAC	500.-	1pcs
BELL 8" 220VAC	700.-	1pcs
BELL 10" 220VAC	1,000.-	1pcs

Manual Break Glass

FIRE -1 (B2) 700.- 50pcs/Carton.

Silen

ไซเรน



DESCRIPTION	PRICE /BAHT	QUANTITY /BOX
MS-190 METAL CASE DC12,24V. AC220V.	480.-	1pcs
MS-290 METAL CASE DC12,24V. AC220V.	780.-	1pcs
MS-390 METAL CASE DC12,24V. AC220V.	1,450.-	1pcs

BUZZER

ออดมีเสียง

DESCRIPTION		PRICE /BAHT	QUANTITY /BOX
	AD22-22 SM 220V. 24V. (R) (Y)	150.-	10pcs
	BUZZER FM1 220V.	150.-	10pcs
	BUZZER FM2 220V.	200.-	10pcs
	BUZZER FM3 220V. [30mm. , 25mm.]	200.-	10pcs



Fuse Link

ลูกฟิวส์

10x38, 14x51, 22x58

DESCRIPTION				PRICE /BAHT	QUANTITY /BOX
MODEL	RATED CURRENT(A)	RATED VOLTAGE(V)	ØD x L		
RO-15 (10x38)	2, 4, 6, 8, 10	380/500	10x38	8.-	10pcs
	16, 20, 25, 32A.				
RO-16 (14x51)	32, 40, 50, 63A.	380/500	14x51	18.-	10pcs
RO-17 (22x58)	63, 80, 100, 125A.	380/500	22x58	38.-	10pcs

Glass Fuse

ฟิวส์กระจก

DESCRIPTION		PRICE /BAHT	QUANTITY /BOX
MODEL	RATED CURRENT(A)		
20mm.	1, 2, 3, 5, 10A.	2.10.-	100pcs
30mm.	1, 2, 3, 5, 10, 15, 20A.	2.30.-	

Screw Fuse Link

[ฟิวส์ขวด]

DESCRIPTION								PRICE /BAHT	QUANTITY /BOX
MODEL	RATED CURRENT(A)	RATED VOLTAGE(V)	ØA	ØC	ØD	L			
RO-24	2 - 6	500	6	12.5	11.3	50		13.-	20pcs
	10		8						
	16		10						
	20 - 25		12						
RO-21	2 - 6		6	21	13	50		19.-	10pcs
	8 - 10		8						
	16		10						
	20		12						
	25 - 32		14						
RO-22	30 - 40		16	27	20	50		23.-	10pcs
	50		18						
	63		20						

Fuse Link Nt

ลูกฟิวส์

DESCRIPTION					Rated voltage	Rated cur-rent	Price THB.	Quantity /Box.
Common	Fast	Common	Fast					
RT16-00	NGTC-00	NT00	NH00	RS313NE80	500/660	4-160	5pcs	150.-
RT16-0	NGTC-0	NT0	NH0	RS31B 3NE41	500/1140	4-160	5pcs	200.-
RT16-1	NGTC-1	NT1	RT20-1 3NA1	RS32 3NE12	500/660	63-250	1pcs	300.-
RT16-2	NGTC-2	NT2	RT20-2 3NA1	RS33 3NE13	500/660	80-400	1pcs	450.-
RT16-3	NGTC-3	NT3	RT20-3 RO34	RS34 3NE14	500/660	160-630	1pcs	650.-
RT17		NT4	RO39	RS39	500/660	500-1250	1pcs	2,200.-

Ro21,24,22 Fuse Base

MODEL	Rated Insulation (V)	Rated Current (A)	PRICE /BAHT	QUANTITY /Carton.
RO 24(E-16)	500	25	110.-	10pcs
RO 21(E-27)	500		140.-	10pcs
RO22(E-33)	500		180.-	10pcs


MODEL	PRICE /BAHT	QUANTITY /Carton.
5 x 20	10.-	100pcs
6 x 30	12.-	100pcs



Fuse Base & Fuse Link

ฐานฟิวส์

MODEL	Fig.	Rated current	A	B	C	D	E	PRICE /BAHT	QUANTITY /Carton.
RT18-32B [non lamp]	1	32	78	78	18	60	80	60.-	300pcs
RT18-32BX [lamp]	1							70.-	
RT18-32M [non lamp]	1							70.-	
RT18-32MX [lamp]	1							80.-	
RT18-63L	2	63	108	115	27	78	100	160.-	144pcs
RT18-125L	2	125	126	134	36	78	104	320.-	100pcs



Fuse Base NH00 3P

PRICE/THB. 650.-
QUANTITY/BOX 30pcs

MODEL	Rated Voltage (V)	Rated current (A)
NH00 3PNH00 3P RT20-000	660	160

Fuse Base NT0,NT00

PRICE/THB. 180.-
QUANTITY/BOXpcs

MODEL		Rated Voltage (V)	Rated current (A)	Overall dimension (mm)							
				A	B	C	Ød	E	F	G	H
NT00 RT16-00 RT20-00	NH00 NH0	660	160	120	100	30	7.5	25	60	25	-
NT0 RT16-0				170	150	30	7.5	38	73	25	-

Fuse Base NT1-4

MODEL		Rated Voltage (V)	Rated current (A)	Overall dimension (mm)							
				A	B	C	Ød	E	F	G	H
NT1 RT16-1 RT20-1	NH1	660	250	200	175	58	10.5	38	86	25	30
NT2 RT16-2 RT20-2	NH2		400	225	200	60	10.5	40	100		
NT3 RT16-3 RT20-3	NH3		630	250	215	60	10.5	40	105		
NT4 RT17	NH4		1,000	310	265	95	13	48	150		

MODEL	NT1	NT2	NT3	NT4
PRICE/THB.	650.-	1,300.-	1,700.-	3,700.-
QUANTITY/Carton.	100pcs	30pcs		

S-N Magnetic Contactor (S-N Series)

แมกเนติก คอนแทกเตอร์



MODEL	Rated Operating Current (A)(AC3)		Max. Motor Capacity 3 Phase (AC3) KW.		Thermal Current (AC1)	Standard Auxiliary Contact		PRICE /BAHT	QUANTITY /BOX
	220-240v	380-440v	220-240v	380-440v		NO	NC		
S-N 10	11	9	2.5 (3.3)	4 (5.5)	20	1 NO	-	320.-	60pcs
S-N 11	13	12	3.5 (4.5)	5.5 (7.5)	20	1 NO	-	340.-	
S-N 12	13	12	3.5 (4.5)	5.5 (7.5)	20	1 NO	1 NC	390.-	
S-N 20	22	22	5.5 (7.5)	11 (15)	32	1 NO	1 NC	680.-	50pcs
S-N 21	22	22	5.5 (7.5)	11 (15)	32	2 NO	2 NC	700.-	
S-N 25	30	30	7.5 (10)	15 (20)	50	2 NO	2 NC	860.-	40pcs
S-N 35	40	40	11 (15)	18.5 (25)	60	2 NO	2 NC	930.-	
S-N50	55	55	15 (20)	22 (30)	80	2 NO	2 NC	1,900.-	20pcs
S-N 65	65	65	18.5 (25)	30 (40)	100	2 NO	2 NC	2,050.-	

TH-N Overload Relay (Th-N Series)

โอเวอร์โหลด รีเลย์



DESCRIPTION	PRICE /BAHT	QUANTITY /BOX
TH-N12 1.3A(1-1.6A.) , 1.7A(1.4-2A.) , 2.1A(1.7-2.5A.) , 2.5A(2-3A.) , 3.6A (2.8-4.4A.) , 5A(4-6A.) , 6.6A(5.2-8A.) , 9A(7-11A.) , 11A(9-13A.)	360.-	100pcs
TH-N20 1.3A(1-1.6A.) , 1.7A(1.4-2A.) , 2.1A(1.7-2.5A.) , 2.5A(2-3A.) , 3.6A (2.8-4.4A.) , 5A(4-6A.) , 6.6A(5.2-8A.) , 9A(7-11A.) , 11A(9-13A.) , 15A(12-18A.) , 19A(16-22A.) , 22A(18-26A.) , 29A(24-34A.) , 35A(30-40A.)	460.-	
TN-N60 54A(45-67) , 67A(54-80)	720.-	

No Fuse Breaker Nf-Series (Cw)

เบรกเกอร์



MODEL	Rated Operating Current (A)	RATED BREAKING CAPACITY (KA)		PRICE /BAHT	QUANTITY /BOX
		230 V	400 V.		
NF30-CW 2P	5 , 10 , 15 , 20 , 30	2.5	1.5	450.-	60pcs
NF30-CW 3P	5 , 10 , 15 , 20 , 30	2.5	1.5	530.-	60pcs
NF63-CW 2P	40 , 50 , 63	7.5	5	550.-	40pcs
NF63-CW 3P	40 , 50 , 63	7.5	5	720.-	40pcs
NF125-CW 2P	80 , 100 , 125	30	10	950.-	30pcs
NF125-CW 3P	80 , 100 , 125	30	10	1,200.-	30pcs
NF250-CW 3P	150 , 175 , 200 , 250	50	18	2,300.-	20pcs
NF400-CW 3P	300 , 350 , 400	85	50	8,000.-	1pcs
NF630-CW 3P	500 , 600			17,500.-	1pcs

PCU Consumer Unit

ตู้เบรกเกอร์



DESCRIPTION	W	H	D	PRICE /BAHT	QUANTITY /BOX
PCU-02 [2-4 WAY] [MAIN+ลูก2]	135	160	70	480.-	10pcs
PCU-05 [5-7 WAY] [MAIN+ลูก4]	230	210	70	760.-	
PCU-08 [8-10 WAY] [MAIN + ลูก6]	285	210	70	1,060.-	20pcs
PCU-08 [8-10 WAY] [MAIN + ลูก8]				1,180.-	
PCU-011 [11-14 WAY] [MAIN + ลูก10]	360	210	70	2,280.-	
PCU-011 [11-14 WAY] [MAIN + ลูก12]				2,400.-	



มอก. 1436-2540

C Circuit Breaker

ตู้เบรกเกอร์




DESCRIPTION	1P	2P	3P	QUANTITY/BOX
DZ47- 63 10A.	•			12pcs
DZ47- 63 16A.	•	•		
DZ47- 63 20A.	•	•		
DZ47- 63 32A.	•	•	•	6pcs
DZ47- 63 40A.		•	•	
DZ47- 63 50A.		•	•	4pcs
DZ47- 63 63A.		•	•	
DZ47LE - 63 40A.		•		4pcs
DZ47LE - 63 50A.		•		
DZ47LE - 63 63A.		•		

PRICE	
1P	80.-
2P	160.-
2P LE	500.-
3P	240.-



มอก. 909-2548



Wall Mounting Cabinet

ตู้สวิตช์บอร์ด



SIZE	SIZE (INCH)	SIZE (mm.)	PRICE/BAHT
#00	8x12x6	20x30x15	410.-
#0	10x14x6	25x35x15	475.-
#1	12x18x7	30x45x17	540.-
#2	14x20x7	35x52x17	650.-
#3	16x22x8	40x57x20	795.-

SIZE	SIZE (INCH)	SIZE (mm.)	PRICE/BAHT
#4	17x24x9	44x61x23	950.-
#5	22x27x10	57x69x25	1,465.-
#6	24x30x10	60x76x25	1,710.-
#7	25x34x10	64x92x25	2,195.-

Bus Bar Series REMARK -2=63A. -3=70A



GK101 (Series)

MODEL	L(mm.)	CURRENT	PRICE
GK101-2	7mm.	63A.	200.-
GK101-3	9mm.	70A.	230.-

GK102 (Series)

MODEL	L(mm.)	CURRENT	PRICE
GK102-2	7mm.	63A.	380.-
GK102-3	9mm.	70A.	445.-

GK103 (Series)

MODEL	L(mm.)	CURRENT	PRICE
GK103-2	7mm.	63A.	540.-
GK103-3	9mm.	70A.	645.-

GK104 (Series)

MODEL	L(mm.)	CURRENT	PRICE
GK104-2	7mm.	63A.	740.-
GK104-3	9mm.	70A.	870.-

GK201 (Series)

MODEL	L(mm.)	CURRENT	PRICE
GK201-2	7mm.	63A.	225.-
GK201-3	9mm.	70A.	258.-

GK202 (Series)

MODEL	L(mm.)	CURRENT	PRICE
GK202-2	7mm.	63A.	400.-
GK202-3	9mm.	70A.	460.-

GK203 (Series)

MODEL	L(mm.)	CURRENT	PRICE
GK203-2	7mm.	63A.	545.-
GK203-3	9mm.	70A.	650.-

GK204 (Series)

MODEL	L(mm.)	CURRENT	PRICE
GK204-2	7mm.	63A.	750.-
GK204-3	9mm.	70A.	890.-

GK301 (Series)

MODEL	L(mm.)	CURRENT	PRICE
GK301-2	7mm.	63A.	230.-
GK301-3	9mm.	70A.	260.-

GK302 (Series)

MODEL	L(mm.)	CURRENT	PRICE
GK302-2	7mm.	63A.	410.-
GK302-3	9mm.	70A.	470.-



GK303 (Series)

MODEL	L(mm.)	CURRENT	PRICE
GK303-2	7mm.	63A.	550.-
GK303-3	9mm.	70A.	655.-

GK304 (Series)

MODEL	L(mm.)	CURRENT	PRICE
GK304-2	7mm.	63A.	760.-
GK304-3	9mm.	70A.	900.-


កុណ្ឌ្យោ




កល្យាណ






ตัวล้อยกพลาสติก



កុល្យោ




កុណ្ឌោ




Cam Lock Series


กุญแจ



MODEL	PRICE
MS406	180.-
QUANTITY : 5pcs/box	




MODEL	PRICE
MS407-1	110.-
QUANTITY : 10pcs/box	



MODEL	PRICE
MS418	160.-
QUANTITY : 10pcs/box	



MODEL	PRICE
MS705-1-2	120.-
QUANTITY : 10pcs/box	




MODEL	PRICE
MS705-5(K7010)	120.-
QUANTITY : 10pcs/box	




MODEL	PRICE
AB 301-1-1	460.-
QUANTITY : 2pcs/boxx	
AB 301-2-1	380.-
QUANTITY : 5pcs/box	
AB 301-3-1	300.-
QUANTITY : 5pcs/box	

Handles Series

มือจับ




MODEL	PRICE
PL002-2	320.-
QUANTITY : 2pcs/box	




MODEL	PRICE
PL004-2	260.-
QUANTITY : 2pcs/box	




MODEL	PRICE
PL006	80.-
QUANTITY : 10pcs/box	



MODEL	PRICE
HL012	100.-
QUANTITY : 10pcs/box	




MODEL	PRICE
HL003-2	100.-
QUANTITY : 10pcs/box	




MODEL	PRICE
HL025-2	110.-
QUANTITY : 10pcs/box	

Hinge Series

บานพับ



MODEL	PRICE
HL042	150.-
QUANTITY : 5pcs/box	



MODEL	PRICE
HL027	200.-
QUANTITY : 10pcs/box	



FD-13

FD-14

MODEL	PRICE
FD-13	100.-
FD-14	80.-
QUANTITY : 10pcs/box	

Accessories Series



RG01-1



RG01-2



RA-01



RA-02



RA-03




LG01

LG02

LG03

LG04




Meter Box

ตู้มิเตอร์



Mdb Box

ตู้มิเตอร์



Mdb Box

ตู้มิเตอร์



*** รับประกอบตู้ Meter , ตู้ควบคุม ตามแบบ

MODEL: PL-001(ABS)16A 250V
PRICE: 78฿



MODEL: MYWEG15829CT
PRICE: 88฿



MODEL: MYWEG10919CT
PRICE: 28฿



MODEL: MYWEG5001KT 24
PRICE: 24฿



MODEL: MYWEG1181CT
PRICE: 68฿



MODEL: PS-18E
PRICE: 26฿



MODEL: MYWEG6801K
PRICE: 13฿



MODEL: MYWEG6802K
PRICE: 13฿



MODEL: MYWEG6803K
PRICE: 13฿



MODEL: PL 5V 2.1A USB-2
PRICE: 480฿



MODEL: POP UP(SILVER) PRICE: 820฿
MODEL: SOFT(SILVER) PRICE: 1100฿



MODEL: POP UP(GOLD) PRICE: 820฿
MODEL: SOFT(GOLD) PRICE: 1100฿



MODEL: ETT-23A
PRICE: 430฿



MODEL: TT-22A
PRICE: 260฿



MODEL: VD02
PRICE: 150฿



MODEL: D-131
PRICE: 450฿



MODEL: D-150
PRICE: 500฿



MODEL: 16-IN-1(6016)
PRICE: 50฿



MODEL: 603D 4" +- 6X100mm PRICE: 70฿
603D 5" +- 6X125mm PRICE: 75฿
603D 6" +- 6X150mm PRICE: 80฿
603D 8" +- 6X200mm PRICE: 85฿



MODEL: 4" 6X100mm
PRICE: 40฿



MODEL: 6X160mm
PRICE: 42฿



MODEL: LK125
PRICE: 880฿



MODEL: LK250
PRICE: 1300฿



MODEL: LK500
PRICE: 3000฿



MODEL: LK38A
LK38A 8"
PRICE: 320฿



MODEL: LK60A
LK60A 10"
PRICE: 400฿



MODEL: Gator Grip 3PCS/Set
PRICE: 780฿



MODEL: 7653/7PCS
PRICE: 400฿



MODEL: T8mm, T10mm, T12mm, T14mm
PRICE: 80฿



MODEL: SNAP" GRIP 2PCS/SET
PRICE: 250฿



MODEL: FS-D3
PRICE: 580฿



MODEL: HS-D1
PRICE: 650฿



MODEL: VC-36A 36-300mm
PRICE: 4000฿



MODEL: VC-60A 60-500mm
PRICE: 6000฿



MODEL: PL-108 8"
PRICE: 225฿



MODEL: PL-106 6"
PRICE: 200฿



MODEL: PL-206 6"
PRICE: 200฿



MODEL: PL-316 6"
PRICE: 200฿

